

1 Historischer Überblick

- [1] Mueller RL, Sanborn TA. The history of interventional cardiology: cardiac catheterization, angioplasty, and related interventions. *Am Heart J* 129:146–72, 1995
- [2] Morat JP, Doyon M. Function et nutrition. In: *Traite de Physiologie*. Libraires de l'Académie de médecine, Paris, 1899
- [3] Grossman's W, Baim S. Cardiac catheterization. In: *Cardiac catheterization, angiography and intervention*. 4th ed: pp 3–14, 2005, Lippincott, Williams & Wilkins, Philadelphia
- [4] Forßmann W. Sondierung des rechten Herzens. *Klin Wochenschr* 2085, 1929/II
- [5] Forßmann W. Über die Kontrastdarstellung der Höhlen des lebenden rechten Herzens und der Lungenschlagader. *Münchener Wochenschr* 78:489, 1931
- [6] Heuser C. Arteriografia directa, aortografia por impregnacion del reticulo endotelium, vasos grafias del pulmon por medio del sondeo de la auricula derecha. *Rev Asoc méd arge* 46:1119, 1932
- [7] Ravina A. L'exploration radiologique des vaisseaux pulmonaires par l'injection de substances de contrast. *Progr méd (Paris)* 1701, 1934
- [8] Loeffler L. Die Methode der Kontrastdarstellung der A. pulmonalis und des rechten Herzens am lebenden Menschen und ihr voraussichtliches klinisches Anwendungsbild. *Dtsch Z Chir* 259:342, 1944
- [9] Brannon ES, Ween HS, Warren JV. Atrial septal defect. Study of hemodynamics by the technique of right heart catheterization. *Am J Med Sci* 210:480, 1945
- [10] Cournand A, Baldwin JS, Hummelstein A. Cardiac catheterization in the diagnosis of congenital heart disease. *The Commonwealth Fund*, NY, 1947
- [11] Hellems HK, Haynes FW, Dexter L et al. Pulmonary „capillary“ pressure in man. *J Appl Physiol* 2:24, 1949
- [12] Lagerlöf H, Werkö L. Studies on circulation of blood in man. *Scand Clin Lab Invest* 7:147, 1949
- [13] Heller S, Kaiser K, Lochner W et al. Zur Bestimmung des Herzzeitvolumens mittels der Injektionsmethode bei fortlaufender Registrierung der Farbstoffkonzentration. *Z Kreisl-Forsch* 42:727, 1953
- [14] Gorlin R, Gorlin SG. Hydraulic formula for calculation of the area of the stenotic mitral valve, other cardiac valves and central circulatory shunts. *Am Heart J* 41:1, 1951
- [15] Seldinger SI. Catheter replacement of the needle in percutaneous arteriography; a new technique. *Acta Radiol* 39:358–76, 1953
- [16] Edholm P, Seldinger SI. Percutaneous catheterization of the renal artery. *Acta Radiol* 45:15–20, 1956
- [17] Gleichmann O, Vlacaakis N, Tsilos TH. Zur Entstehung des Herzspitzenstroms und Deutung systolischer Formveränderungen des Appexkardiogramms. *Z Kreislaufforsch* 60:789–807, 1971
- [18] Erbel R, Schweizer P, Lambertz H et al. Echoventriculography – a simultaneous analysis of two-dimensional echocardiography and cineventriculography. *Circulation* 67:205–15, 1983
- [19] Cobe C. Technique for transseptal catheterization of the left atrium. Preliminary report. *J Thorac Surg* 37:482, 1959
- [20] Ross J. Transseptal left heart catheterization. A new method of left atrial puncture. *Ann Surg* 149:395, 1959
- [21] Brockenbrough EC, Braunwald E, Ross J Jr. Transseptal left heart catheterization. A review of 450 studies and description of an improved technic. *Circulation* 25:15–21, 1962
- [22] Amplatz K, Ernst R, Lester RG et al. Retrograde left cardioangiography as a test of valvular competence. *Radiology* 72:268–9, 1959

- [23] Sones FM, Shirey EK. Cine coronary arteriography. *Mod Concepts Cardiovasc Dis* 31:735–8, 1962
- [24] Proudfit WL, Shirey EK, Sones FM. Selective cine coronary arteriography. Correlation with clinical findings in 1,000 patients. *Circulation* 33:901–10, 1966
- [25] Judkins MP. Selective coronary arteriography. I. A percutaneous transfemoral technique. *Radiology* 89:815–24, 1967
- [26] Bousen E, Judkins MP. A hook-tail „closed-end“ catheter for percutaneous selective cardioangiography. *Radiology* 87:872–7, 1966
- [27] Judkins MP. Percutaneous transfemoral selective coronary arteriography. *Radiol Clin North Am* 6:467–92, 1968
- [28] Judkins MP, Kidd HJ, Frische LH et al. Lumen-following safety J-guide for catheterization of tortuous vessels. *Radiology* 88:1127–30, 1967
- [29] Kiemeneij F, Laarman GJ. Percutaneous transradial artery approach for coronary stent implantation. *Cathet Cardiovasc Diagn* 30:173–8, 1993
- [30] Wilson WJ, Lee GB, Amplatz K. Biplane selective coronary arteriography via percutaneous transfemoral approach. *Am J Roentgenol Radium Ther Nucl Med* 100:332–40, 1967
- [31] Lee GB, Amplatz K. Selective coronary arteriography. *JAMA* 204:444–8, 1968
- [32] Schlesinger MJ, Zoll PM, Wessler S. The conus artery: a third coronary artery. *Am Heart J* 38:823, 1949
- [33] Freudenberg H, Bode W, Rafflenbeul W et al. Intravital and postmortem measurements of coronary stenosis. *Verh Dtsch Ges Kreislaufforsch* 43:301, 1977
- [34] Isner JM, Kishel J, Kent KM et al. Accuracy of angiographic determination of left main coronary arterial narrowing. Angiographic-histologic correlative analysis in 28 patients. *Circulation* 63:1056–65, 1981
- [35] Glagov S, Weisenberg E, Zarins CK et al. Compensatory enlargement of human atherosclerotic coronary arteries. *N Engl J Med* 316:1371–5, 1987
- [36] Ge J, Erbel R, Zamorano J et al. Coronary artery remodelling in atherosclerotic disease: an intravascular ultrasonic study in vivo. *Coron Artery Dis* 4:981–6, 1993
- [37] Gerber TC, Erbel R, Gorge G et al. Extent of atherosclerosis and remodeling of the left main coronary artery determined by intravascular ultrasound. *Am J Cardiol* 73:666–71, 1994
- [38] Birgelen Cv, Hartmann M, Mintz GS et al. Remodeling index compared to actual vascular remodeling in atherosclerotic left main coronary arteries in assessment with long-term (> or = 12 months) serial intravascular ultrasound. *J Am Coll Cardiol* 47:1363–8, 2006
- [39] Birgelen Cv, Klinkhart W, Mintz GS et al. Plaque distribution and vascular remodeling of ruptured and nonruptured coronary plaques in the same vessel: an intravascular ultrasound study in vivo. *J Am Coll Cardiol* 37:1864–70, 2001
- [40] Düber C, Jungbluth A, Rumpelt HJ et al. Morphology of the coronary arteries after combined thrombolysis and percutaneous transluminal coronary angioplasty for acute myocardial infarction. *Am J Cardiol* (1986); 58(9):698–703
- [41] Kolesov VI. Coronary-thoracic artery anastomosis as a means of treating coronary heart disease. *Klin Med* 44:7–12, 1966
- [42] Perry D. History of cardiology: Vasilii Ivanovich Kolesov. *Circulation* f136–f38, 2007
- [43] Vineberg AM. Development of anastomosis between coronary vessels and transplanted internal mammary artery. *Can Med Assoc J* 55:117–19, 1945
- [44] Demikhova OV. Pioneers in Cardiology. VP Demikhov. *Circulation* f99–f102, 2008
- [45] Rohman M, Goetz RH, Dee R. Double coronary artery-internal mammary artery anastomoses, tantalum ring technique. *Surg Forum* 11:236–7, 1960
- [46] Favaloro RG. Saphenous vein autograft replacement of severe segmental coronary artery occlusion: operative technique. *Ann Thorac Surg* 5:334–39, 1968
- [47] Senning A. Strip grafting in coronary arteries: report of a case. *J Thorac Cardiovasc Surg* 41:543–49, 1961
- [48] Effler DB, Groves LK, Sones FM et al. Endarterectomy in the treatment of coronary artery disease. *J Thorac Cardiovasc Surg* 47:98–108, 1964
- [49] Sheldon WC, Sones FM, Shirey EK et al. Reconstructive coronary artery surgery: postoperative assessment. *Circulation* 39 (Suppl 1):I61–6, 1969
- [50] Favaloro RG. Landmarks in the development of coronary artery bypass surgery. *Circulation* 98:466–78, 1998

- [51] Swan HJ, Ganz W, Forrester J et al. Catheterization of the heart in man with use of a flow-directed balloon-tipped catheter. *N Engl J Med* 283:447–51, 1970
- [52] Ganz W, Donoso R, Marcus HS et al. A new technique for measurement of cardiac output by thermodilution in man. *Am J Cardiol* 27:392–96, 1971
- [53] Forrester JS, Diamond G, Swan HJ. Pulmonary artery catheterization. A new technique in treatment of acute myocardial infarction. *Geriatrics* 26:65–71, 1971
- [54] Merx W, Bleifeld W, Hanrath P et al. Acute myocardial infarct. II. Hemodynamics of the right ventricle. *Z Kardiol* 62:701–18, 1973
- [55] Merx W, Bleifeld W, Hanrath P et al. Acute myocardial infarction. IV. Relationship between left ventricular filling pressure and late diastolic pulmonary artery pressure. *Z Kardiol* 62:835–45, 1973
- [56] Bleifeld W, Hanrath P, Mathey D et al. Acute myocardial infarction. V: left and right ventricular haemodynamics in cardiogenic shock. *Br Heart J* 36:822–34, 1974
- [57] Bleifeld W, Mathey D, Hanrath P et al. Acute myocardial infarct. VII. Prognostic significance of a new shock index. *Dtsch Med Wochenschr* 98:1355–57, 1973
- [58] Bleifeld W, Hanrath P, Mathey D. Acute myocardial infarction. X. Changes in the haemodynamics of the right and left ventricles from the acute stage to convalescence. *Dtsch Med Wochenschr* 99:1049–57, 1974
- [59] Hanrath P, Bleifeld W, Merx W et al. Acute myocardial infarct. 3. Significance of central venous pressure for function of the left ventricle. *Z Kardiol* 62:718–28, 1973
- [60] Hanrath P, Bleifeld W, Mathey D. Acute myocardial infarct. 8. Correlation of haemodynamic values with left and right-ventricular injection time. *Z Kardiol* 63:328–38, 1974
- [61] Meyer J, Erbel R, Rupprecht HJ et al. Relation between admission time, haemodynamic measurements and prognosis in acute myocardial infarction. *Br Heart J* 46:647–56, 1981
- [62] Bleifeld WH, Hanrath P, Mathey D. Serial CPK determinations for evaluation of size and development of acute myocardial infarction. *Circulation* 53 (3 Suppl):I108–11, 1976
- [63] Essen Rv, Merx W, Doerr R et al. QRS mapping in the evaluation of acute anterior myocardial infarction. *Circulation* 62:266–76, 1980
- [64] Erbel R, Belz GG. Recent aspects on basic drug therapy of acute myocardial infarct. *Med Klin* 72:1341–60, 1977
- [65] Chazov El, Matveeva LS, Mazaev AV et al. Intracoronary administration of fibrinolytic in acute myocardial infarct. *Ter Arkh* 48:8–19, 1976. Russian
- [66] Rentrop P, Vivie ERd, Karsch KR et al. Acute coronary occlusion with impending infarction as an angiographic complication relieved by a guidewire recanalization. *Clin Cardiol* 1:101–6, 1978
- [67] Rentrop P, Blanke H, Karsch KR et al. Reopening of infarct-occluded vessel by transluminal recanalisation and intracoronary streptokinase application. *Dtsch Med Wochenschr* 104:1438–40, 1979
- [68] Rentrop P, Blanke H, Karsch KR et al. Changes in left ventricular function after intracoronary streptokinase infusion in clinically evolving myocardial infarction. *Am Heart J* 102:1188–93, 1981
- [69] Merx W, Dörr R, Rentrop P et al. Evaluation of the effectiveness of intracoronary streptokinase infusion an acute myocardial infarction: postprocedure management and hospital course in 204 patients. *Am Heart J* 102:1181–7, 1981
- [70] Mathey DG, Rodewald G, Rentrop P et al. Intracoronary streptokinase thrombolytic recanalization and subsequent surgical bypass of remaining atherosclerotic stenosis in acute myocardial infarction: complementary combined approach effecting reduced infarct size, preventing reinfarction, and improving left ventricular function. *Am Heart J* 102:1194–201, 1981
- [71] Rutsch W, Scharltl M, Mathey D et al. Percutaneous transluminal coronary recanalization: procedure, results, and acute complications. *Am Heart J* 102:1178–81, 1981
- [72] Schröder R, Biamino G, Leitner ERv et al. Intravenous streptokinase infusions in acute myocardial infarction. Restoring patency of occluded thrombotic coronary vessels. *Dtsch Med Wochenschr* 106:294–301, 1981
- [73] Neuhaus KL, Tebbe U, Sauer G et al. High dose intravenous streptokinase in acute

- myocardial infarction. *Clin Cardiol* 6:426–34, 1983
- [74] ISIS-2 (Second International Study of Infarct Survival) Collaborative Group. Randomised trial of intravenous streptokinase, oral aspirin, both or neither among 17,187 cases of suspected acute myocardial infarction: ISIS-2. *Lancet* 2:349–60, 1988
- [75] The GUSTO Angiographic Investigators. The effects of tissue plasminogen activator, streptokinase, or both on coronary-artery patency, ventricular function, and survival after acute myocardial infarction. *N Engl J Med* 329:1615–22, 1993. Erratum in: *N Engl J Med* 330:516, 1994
- [76] Meyer J, Merx W, Dörr R et al. Successful treatment of acute myocardial infarction shock by combined percutaneous transluminal coronary recanalization (PTCR) and percutaneous transluminal coronary angioplasty (PTCA). *Am Heart J* 103:132–4, 1982
- [77] Erbel R, Pop T, Henrichs KJ et al. Percutaneous transluminal coronary angioplasty after thrombolytic therapy: a prospective controlled randomized trial. *J Am Coll Cardiol* 8:485–95, 1986
- [78] Erbel R, Pop T, Diefenich C et al. Long-term results of thrombolytic therapy with and without percutaneous transluminal coronary angioplasty. *J Am Coll Cardiol* 14:276–85, 1989
- [79] Grines CL, Browne KF, Marco J et al. A comparison of immediate angioplasty with thrombolytic therapy for acute myocardial infarction. The Primary Angioplasty in Myocardial Infarction Study Group. *N Engl J Med* 328:673–9, 1993
- [80] Grines CL, Cox DA, Stone GW et al. Coronary angioplasty with or without stent implantation for acute myocardial infarction. Stent Primary Angioplasty in Myocardial Infarction Study Group. *N Engl J Med* 341:1949–56, 1999
- [81] Waller BF, Rothbaum DA, Pinkerton CA et al. Status of the myocardium and infarct-related coronary artery in 19 necropsy patients with acute recanalization using pharmacologic (streptokinase, r-tissue plasminogen activator), mechanical (percutaneous transluminal coronary angioplasty) or combined types of reperfusion therapy. *J Am Coll Cardiol* 9:785–801, 1987
- [82] Assessment of the safety and efficacy of a new treatment strategy with percutaneous coronary intervention (ASSENT-4PCI) investigators. Primary versus tenecteplase-facilitated percutaneous coronary intervention in patients with ST-segment elevation acute myocardial infarction (ASSENT-4PCI): randomised trial. *Lancet* 367:569–78, 2006
- [83] Werf Fvd, Bax J, Betriu A et al. Management of acute myocardial infarction in patients presenting with persistent ST-segment elevation: the Task Force on the Management of ST-Segment Elevation Acute Myocardial Infarction of the European Society of Cardiology. *Eur Heart J* 29:2909–45, 2008
- [84] Mauri L, Silbaugh TS, Garg P et al. Drug-eluting or bare-metal stents for acute myocardial infarction. *N Engl J Med* 359:1330–42, 2008
- [85] Koslowski B. Namen des Herzinfarktverbundes Essen. The Essen myocardial infarction network as a model of integrated medical care in the realization of the therapy of acute ST segment elevation myocardial infarction corresponding to guidelines. *Herz* 30:715–20, 2005
- [86] Jacksch R, Naber CK, Koslowski B et al. Herzinfarktverbund Essen. Coronary Intervention (PCI) within the myocardial infarction network system in a German city (Essen). *Herz* 33:110–4, 2008
- [87] Buchholz J, Naber CK, Budde T et al. Herzinfarktverbund Essen. STEMI network Essen-in-hospital results. *Herz* 33:148–52, 2008
- [88] Hailer B, Naber CK, Koslowski B et al. Herzinfarktverbund Essen. STEMI network Essen – results after 1 year. *Herz* 33:153–7, 2008
- [89] Topol EJ, Yadav JS. Recognition of the importance of embolization in atherosclerotic vascular disease. *Circulation* 101:366–71, 2000
- [90] Erbel R, Heusch G. Coronary microembolization. *J Am Coll Cardiol* 36:22–4, 2000
- [91] Limbruno U, Caterina Rd. EMERALD, AIMI, and PROMISE: is there still a potential for embolic protection in primary PCI? *Eur Heart J* 27:1139–45, 2006
- [92] Heusch G. Postconditioning: old wine in a new bottle? *J Am Coll Cardiol* 44:1111–2, 2004

- [93] Skyschally A, Caster Pv, Iliodromitis EK et al. Ischemic postconditioning: experimental models and protocol algorithms. *Basic Res Cardiol*, 2009 (Epub ahead of print)
- [94] Kin H, Zhao ZQ, Sun HY et al. Postconditioning attenuates myocardial ischemia-reperfusion injury by inhibiting events in the early minutes of reperfusion. *Cardiovasc Res* 62:74–85, 2004
- [95] Cung TT, Morel O, Cayla G et al. Cyclosporine before PCI in patients with acute myocardial infarction. *N Engl J Med* 373:1021–31, 2015
- [96] Pfeffer MA, McMurray JJ, Velazquez EJ et al. Valsartan in Acute Myocardial Infarction Trial Investigators. Valsartan, captopril, or both in myocardial infarction complicated by heart failure, left ventricular dysfunction, or both. *N Engl J Med* 349:1893–906, 2003
- [97] Brehm M, Zeus T, Strauer BE. Therapy with adult stem cells in myocardial infarct. *Internist (Berl)* 43 (Suppl 1):S96–8, 2002
- [98] Strauer BE, Brehm M, Schannwell CM. The therapeutic potential of stem cells in heart disease. *Cell Prolif* 41 (Suppl 1):126–45, 2008
- [99] Schächinger V, Erbs S, Elsässer A et al. REPAIR-AMI Investigators. Intracoronary bone marrow-derived progenitor cells in acute myocardial infarction. *N Engl J Med* 355:1210–21, 2006
- [100] Limbourg FP, Ringes-Lichtenberg S, Schaefer A et al. Haematopoietic stem cells improve cardiac function after infarction without permanent cardiac engraftment. *Eur J Heart Fail* 7:722–9, 2005
- [101] Guan K, Hasenfuss G. Do stem cells in the heart truly differentiate into cardiomyocytes? *J Mol Cell Cardiol* 43:377–87, 2007
- [102] Dotter CT. Two decades of transluminal angioplasty. An overview. *J Mal Vasc* 7 (Suppl 4):357–61, 1982
- [103] Dotter CT. Transluminal angioplasty: a long view. *Radiology* 135:561–4, 1980
- [104] Grüntzig A. Transluminal dilatation of coronary-artery stenosis. *Lancet* 1:263, 1978
- [105] Grüntzig AR, Senning A, Siegenthaler WE. Nonoperative dilatation of coronary-artery stenosis: percutaneous transluminal coronary angioplasty. *N Engl J Med* 301:61–8, 1979
- [106] Gleichmann U, Mannebach H, Lichtlen P. Ergebnis einer Umfrage im Auftrag der Kommission für Klinische Kardiologie im Jahr 1995. 22. Bericht über die Leistungszahlen der Herzkatheterlabore in der Bundesrepublik Deutschland. *Der Kardiologe* 2:320–324, 2008
- [107] McAuley BJ, Oesterle S, Simpson JB. Advances in guidewire technology. *Am J Cardiol* 53:94C–96C, 1984
- [108] Simpson JB. How atherectomy began: a personal history. *Am J Cardiol* 72:3E–5E, 1993
- [109] Yock PG, Linker DT, White NW et al. Clinical applications of intravascular ultrasound imaging in atherectomy. *Int J Card Imaging* 4:117–25, 1989
- [110] Ge J, Koch L, Roth Th, Erbel R. Vision-guided laser atherectomy. *Min Invas Ther & Allied Technol* 6:209–212, 1997
- [111] Clas W, Erbel R, Seelen Wv et al. Ein neu entwickelter Ballonkatheter zur Reduzierung der myokardialen Ischämie während transluminaler Angioplastie. *Biomed Technik* 29:195–196, 1984
- [112] Erbel R, Clas W, Busch U et al. New balloon catheter for prolonged percutaneous transluminal coronary angioplasty and bypass flow in occluded vessels. *Cathet Cardiovasc Diagn* 12:116–23, 1986
- [113] Stack RS, Quigley PJ, Collins G et al. Perfusion balloon catheter. *Am J Cardiol* 61:77G–80G, 1988
- [114] Armstrong B, Sketch MH, Stack RS. The role of the perfusion balloon catheter after an initially unsuccessful coronary intervention. *J Interv Cardiol* 8:309–17, 1995
- [115] Görges G, Haude M, Ge J et al. How does a continuous coronary perfusion catheter work in coronary artery dissection? Assessment by intravascular ultrasound. *Eur Heart J* 17:151–2, 1996
- [116] Bonzel T, Wollschläger H, Just H. A new catheter system for the mechanical dilatation of coronary stenosis with exchangeable intracoronary catheters, fast flow of the contrast agent and improved control. *Biomed Tech (Berl)* 31:195–200, 1986
- [117] Meyer J, Erbel R, Rupprecht HJ. Improvement of myocardial perfusion. *M. Nijhoff, Dordrecht*, 1985
- [118] Erbel R, O'Neill W, Auth D et al. High-frequency rotablation of occluded coronary artery during heart catheterization. *Cathet Cardiovasc Diagn* 17:56–8, 1989

- [119] Mohr-Kahaly S, Erbel R, Zotz R et al. Left ventricular contrast echocardiography using Gelifundol-assessment of hemodynamics, contractility and ECG. *Z Kardiol* 76:699–705, 1987
- [120] Zotz R, Stähr P, Erbel R et al. Analysis of high-frequency rotational angioplasty-induced echo contrast. *Cathet Cardiovasc Diagn* 22:137–44, 1991
- [121] Zotz RJ, Erbel R, Philipp A et al. High-speed rotational angioplasty-induced echo contrast in vivo and in vitro optical analysis. *Cathet Cardiovasc Diagn* 26:98–109, 1992
- [122] Dill T, Dietz U, Hamm CW et al. A randomized comparison of balloon angioplasty versus rotational atherectomy in complex coronary lesions (COBRA study). *Eur Heart J* 21:1759–66, 2000
- [123] Topol EJ, Leya F, Pinkerton CA et al. A comparison of directional atherectomy with coronary angioplasty in patients with coronary artery disease. The CAVEAT Study Group. *N Engl J Med* 329:221–7
- [124] Bittl JA, Chew DP, Topol EJ et al. Meta-analysis of randomized trials of percutaneous transluminal coronary angioplasty versus atherectomy, cutting balloon atherotomy, or laser angioplasty. *J Am Coll Cardiol* 43:936–42, 2004
- [125] Puel J, Juilliere Y, Bertrand ME et al. Early and late assessment of stenosis geometry after coronary arterial stenting. *Am J Cardiol* 61:546–53, 1988
- [126] Schatz RA. Coronary stenting, report of the initial clinical experience with the Palmaz-Schatz TM balloon expandable stent. In: Reiber JHC, Serruys PW (Eds) *Quantitative Coronary Arteriography*. (Developments in Cardiovascular Medicine, vol 117) Springer, Dordrecht 1991
- [127] Erbel R, Schatz R, Dietz U et al. Balloon dilatation and coronary vascular stent implantation. *Z Kardiol* 78:71–7, 1989
- [128] Swars H, Hafner G, Erbel R et al. Prothrombin fragments and thrombotic occlusion of coronary stents. *Lancet* 337:59–60, 1991
- [129] Haude M, Hafner G, Jablonka A et al. Guidance of anticoagulation after intracoronary implantation of Palmaz-Schatz stents by monitoring prothrombin and prothrombin fragment 1 + 2. *Am Heart J* 130:228–38, 1995
- [130] Serruys PW, Strauss BH, Beatt KJ et al. Angiographic follow-up after placement of a self-expanding coronary-artery stent. *N Engl J Med* 324:13–7, 1991
- [131] Görges G, Haude M, Ge J et al. Intravascular ultrasound after low and high inflation pressure coronary artery stent implantation. *J Am Coll Cardiol* 26:725–30, 1995
- [132] Colombo A, Hall P, Nakamura S et al. Intracoronary stenting without anticoagulation accomplished with intravascular ultrasound guidance. *Circulation* 91:1676–88, 1995
- [133] Fischman DL, Leon MB, Baim DS et al. A randomized comparison of coronary-stent placement and balloon angioplasty in the treatment of coronary artery disease. Stent restenosis study investigators. *N Engl J Med* 331:496–501, 1994
- [134] Serruys PW, Jaegere Pd, Kiemeneij F et al. A comparison of balloon-expandable-stent implantation with balloon angioplasty in patients with coronary artery disease. Benestent Study Group. *N Engl J Med* 331:489–95, 1994
- [135] Erbel R, Haude M, Höpp HW et al. Coronary-artery stenting compared with balloon angioplasty for restenosis after initial balloon angioplasty. Restenosis Stent Study Group. *N Engl J Med* 339:1672–8, 1998
- [136] Haude M, Konorza TF, Kalnins U et al. Heparin-coated stent placement for the treatment of stenosis in small coronary arteries of symptomatic patients. *Circulation* 107:1265–70, 2003
- [137] Haude M, Hopp HW, Rupprecht HJ et al. STENT-BY study group. Immediate stent implantation versus conventional techniques for the treatment of abrupt vessel closure or symptomatic dissections after coronary balloon angioplasty. *Am Heart J* 140:e26, 2000
- [137] Verin V, Urban P, Popowski Y et al. Feasibility of intracoronary beta irradiation to reduce restenosis after balloon angioplasty – a clinical pilot study. *Circulation* 95:1138–44, 1997
- [139] Teirstein PS, Massullo V, Jani S et al. Catheter-based radiotherapy to inhibit restenosis after coronary stenting. *N Engl J Med* 336:1697–703, 1997
- [140] Waksman R, White RL, Chan RC et al. Intracoronary gamma-radiation therapy after angioplasty inhibits recurrence in pa-

- tients with in-stent restenosis. *Circulation* 101:2165–71, 2000
- [141] Leon MB, Teirstein PS, Moses JW et al. Localized intracoronary gamma-radiation therapy to inhibit the recurrence of restenosis after stenting. *N Engl J Med* 344:250–6, 2001
- [142] Baumgart D, Sauerwein W, Naber C et al. Dose finding in intracoronary brachytherapy – consequences from empirical trials. *Z Kardiol* 91 (Suppl 3):23–30, 2002
- [143] Verin V, Popowski Y, Bruyne Bd et al. Dose-Finding Study Group. Endoluminal beta-radiation therapy for the prevention of coronary restenosis after balloon angioplasty. The Dose-Finding Study Group. *N Engl J Med* 344:243–9, 2001
- [144] Urban P, Serruys P, Baumgart D et al. RENO Investigators. A multicentre European registry of intraluminal coronary beta brachytherapy. *Eur Heart J* 24:604–12, 2003
- [145] Naber CK, Baumgart D, Bonan R et al. Intracoronary brachytherapy, a promising treatment option for diabetic patients: Results from a European multicenter registry (RENO). *Catheter Cardiovasc Interv* 61:173–8, 2004
- [146] Morice MC, Serruys PW, Sousa JE et al. RAVEL Study Group. A randomized comparison of a sirolimus-eluting stent with a standard stent for coronary revascularization. *N Engl J Med* 346:1773–80, 2002
- [147] Stone GW, Moses JW, Ellis SG et al. Safety and efficacy of sirolimus- and paclitaxel-eluting coronary stents. *N Engl J Med* 356:998–1008, 2007
- [148] Windecker S, Serruys PW, Wandel S et al. Biolimus-eluting stent with biodegradable polymer versus sirolimus-eluting stent with durable polymer for coronary revascularization (LEADERS): a randomised non-inferiority trial. *Lancet* 372:1163–73, 2008
- [149] Degertekin M, Serruys PW, Tanabe K et al. Long-term follow-up of incomplete stent apposition in patients who received sirolimus-eluting stent for de novo coronary lesions: an intravascular ultrasound analysis. *Circulation* 108:2747–50, 2003
- [150] Hoffmann R, Morice MC, Moses JW et al. Impact of late incomplete stent apposition after sirolimus-eluting stent implantation on 4-year clinical events: intravascular ultrasound analysis from the multicentre, randomised, RAVEL, E-SIRIUS and SIRIUS trials. *Heart* 94:322–8, 2008
- [151] Opolski MP, Pracon R, Mintz GS et al. Relation of drug-eluting stent strut distribution to stent thrombosis in coronary arteries. *Am J Cardiol* 104:343–8, 2009
- [152] Schulz S, Schuster T, Mehilli J et al. Stent thrombosis after drug-eluting stent implantation: incidence, timing, and relation to discontinuation of clopidogrel therapy over a 4 year period. *Eur Heart J*, 2009 (Epub ahead of print)
- [153] Park DW, Yun SC, Lee SW et al. Stent thrombosis, clinical events, and influence of prolonged clopidogrel use after placement of drug-eluting stent data from an observational cohort study of drug-eluting versus bare-metal stents. *JACC Cardiovasc Interv* 1:494–503, 2008
- [154] Wijns W. Late stent thrombosis after drug-eluting stent. Seeing is understanding. *Circulation* 2009 (Epub ahead of print)
- [155] Cook S, Windecker S. Early stent thrombosis: past, present and future. *Circulation* 119:657–9, 2009
- [156] Nebeker JR, Virmani R, Bennett CL et al. Hypersensitivity cases associated with drug-eluting coronary stents. A review of available cases from the research on adverse drug events and reports (RADAR) project. *J Am Coll Cardiol* 47:175–81, 2006
- [157] Cheneau E, Leborgne L, Mintz GS et al. Predictors of subacute stent thrombosis. Results of a systematic intravascular ultrasound study. *Circulation* 108:43–47, 2003
- [158] Maier W, Windecker S, Küng A et al. Exercise-induced coronary artery vasodilation is not impaired by stent placement. *Circulation* 105:2373–2377, 2002
- [159] Togni M, Windecker S, Cocchia R et al. Sirolimus-eluting stents associated with paradoxical coronary vasoconstriction. *J Am Coll Cardiol* 46:231–6, 2005
- [160] Hofma SH, Giessen WJvd, Dalen BMv et al. Indication of long-term endothelial dysfunction after sirolimus-eluting stent implantation. *European Heart Journal* 27:166–170, 2006
- [161] Erbel R, Clas W, Busch U et al. New balloon catheter for prolonged percutaneous transluminal coronary angioplasty and bypass flow in occluded vessels. *Cathet Cardiovasc Diagn* 12:116–23, 1986

- [162] Stack RS, Quigley PJ, Collins G et al. Perfusion balloon catheter. *Am J Cardiol* 61:77 G–80 G, 1988
- [163] Armstrong B, Sketch MH Jr, Stack RS. The role of the perfusion balloon catheter after an initially unsuccessful coronary intervention. *J Interv Cardiol* 8:309–17, 1995
- [164] Görges G, Erbel R, Haude M et al. Continuous coronary perfusion balloon catheters in coronary dissections after percutaneous transluminal coronary angioplasty. Acute clinical results and 6-months follow-up. *Eur Heart J* 15:908–14, 1994
- [165] Gaspard P, Didier B, Lienhart Y et al. Temporary stenting for abrupt closure during coronary angioplasty. *Lancet* 337:1226–7, 1991
- [166] Heuser RR, Mehta S, Strumpp RK. ACS RX Flow Support Catheters as a temporary stent for dissection or occlusion during balloon angioplasty: initial experience. *Cathet Cardiovasc Diag* 27:66–74, 1992
- [167] Gibbs JS, Sigwart U, Buller NP. Temporary stents as a bail-out device during percutaneous transluminal coronary angioplasty: preliminary clinical experience. *BR Heart J* 71:372–7, 1994
- [168] Eigler NL, Khorsandi MJ, Forrester JS et al. Implantation and recovery of temporary metallic stents in canine coronary arteries. *J Am Coll Cardiol* 22:1207–1213, 1993
- [169] Rechavia E, Fishbein MC, DeFrance T et al. Temporary arterial stenting: comparison to permanent stenting and conventional balloon injury in a rabbit carotid artery model. *Cathet Cardiovasc Diag* 41:85–92, 1997
- [170] Schwartz RS. Bioabsorbable stents. In: Ellis S, Holmes D (Eds), *Strategic approaches in coronary intervention*. Williams & Wilkins. Baltimore, 626–645, 1996
- [171] Murphy JG, Schwarz RS, Edwards WD et al. Percutaneous polymeric stents in porcine coronary arteries. Initial experience with polyethylene terephthalate stents. *Circulation* 86:1596–1604, 1992
- [172] Zidar J, Mohammed S, Culp S et al. In vitro thrombogenicity of a new bioabsorbable, balloon-expandable, endovascular stent. *J Am Coll Cardiol* 21:483 A, 1993
- [173] Zidar J, Gammon R, Chapman G et al. Short- and long-term tissue response to the Duke bioabsorbable stent. *J Am Coll Cardiol* 21:439A, 1993
- [174] Bostman O, Hirvensalo E, Mäkinen J. Foreign-body reactions to fracture fixation implants of biodegradable synthetic polymers. *J Bone Joint Surg* 72-B:592–596, 1991
- [175] Vogt F, Stein A, Rettemeier G et al. Long-term assessment of a novel biodegradable paclitaxel-eluting coronary polyactide stent. *Eur Heart J* 25:1330–40, 2004
- [176] Tamai H, Igaki K, Kyo E et al. Initial and 6-month results of biodegradable poly-L-lactic acid coronary stents in humans. *Circulation* 102:399–404, 2000
- [177] Kukreja N, Otsuka M, Miegheem Cv et al. Biodegradable drug eluting stents: invasive and non-invasive imaging. *Euro Interv* 2:403, 2006
- [178] Ormiston JA, Webster MW, Armstrong G. First-in-human implantation of a fully bioabsorbable drug-eluting stent: the BVS poly-L-lactic acid everolimus-eluting coronary stent. *Catheter Cardiovasc Interv* 69:128–31, 2007
- [179] Onuma Y, Serruys PW, Ormiston JA et al. Three-year results of clinical follow-up after a bioresorbable everolimus-eluting scaffold in patients with de novo coronary artery disease: the ABSORB trial. *EuroIntervention* 2010; 6:447–53
- [180] Brugaletta S, Garcia-Garcia HM, Garg S et al. Temporal changes of coronary artery plaque located behind the struts of the everolimus eluting bioresorbable vascular scaffold. *Int J Cardiovasc Imaging*. 27(6):859–66, 2011
- [181] Ormiston JA, Serruys PW. Bioabsorbable coronary stents. *Circ Cardiovasc Interv*. 2:255–60, 2009
- [182] Gunatillake PA, Adhikari R. Biodegradable synthetic polymers for tissue engineering. *Eur Cell Mater* 2003, 5:1–16
- [183] Commandeur S, Beusekom MMv, Giesen Jvd. Polymers, Drug Release, and Drug-Eluting Stents. *J Interv Cardiol* 6:500–506, 2006
- [184] Serruys PW, Chevalier B, Sotomi Y et al. Comparison of an everolimus-eluting bioresorbable scaffold with an everolimus-eluting metallic stent for the treatment of coronary artery stenosis (ABSORB II): a 3 year, randomised, controlled, single-blind, multicentre clinical trial. *Lancet* 388:2479–2491, 2016

- [185] Peuster M, Wohlsein P, Brugmann M et al. A novel approach to temporary stenting: degradable cardiovascular stents produced from corrodible metal-results 6–18 months after implantation into New Zealand white rabbits. *Heart* 86:563–9, 2001
- [186] Peuster M, Hesse C, Schloo T et al. Long-term biocompatibility of a corrodible peripheral iron stent in the porcine descending aorta. *Biomaterial* 27:4955–62, 2006
- [187] Haferkamp H, Bach FW, Juchmann P et al. Corrosion of Al- or Ca-Alloyed Mg LI-Alloys in Gaseous and Aqueous Media. In: Mordike BL, Kainer KU. *Magnesium Alloys and their Applications*. Werkstoff-Informationsgesellschaft, Frankfurt, 1998, 433–438
- [188] Haferkamp H, Kaese V, Niemeyer M et al. Korrosionssteuerung von Magnesiumlegierungen mittels Lithium. 6. Magnesiumguß. Abnehmerseminar & Automotive Seminar, Aalen, 30.09–01.10.1998
- [189] Heublein B, Rohde BR, Niemeyer M et al. Degradation of magnesium-alloys – a new principle in cardiovascular implant technology. *Transcatheter Cardiovascular Therapeutics Symposium*, TCT 99, 22.–26.09.1999, Washington, zugl. In: Roberts WC, Smith C, Jenkins BS. *AJ* 1999, Sappe 29 P
- [190] Haferkamp H, Kaese V, Niemeyer M et al. Magnesium-Base-Alloys as Implant-Material. 2nd Interdisciplinary Essen Symposium of the Working Group „Biomaterials and Tissue Compatibility“, Biomaterials: Fundamental and Clinical Applications, 6.–8.10.1999, Essen
- [191] Heublein B, Rohde R, Hausdorf G et al. Bio-corrosion – a new principle for temporary cardiovascular implants. *Eur Heart J* 21:286, 2000
- [192] Weissenburger J, Davy JM, Chezalviel F. Experimental models of torsades de pointes. *Fundam Clin Pharmacol* 7:29–38, 1993
- [193] Smetana R, Wink K. Magnesium, acute myocardial infarction and reperfusion injury. *Clin Calcium* 15:261–4, 2005
- [194] ISIS-4: a randomised factorial trial assessing early oral captopril, oral mononitrate, and intravenous magnesium sulphate in 58,050 patients with suspected acute myocardial infarction. ISIS-4 (Fourth International Study of Infarct Survival) Collaborative Group. *Lancet* 345:669–85, 1995
- [195] Magnesium in Coronaries (MAGIC) Trial Investigators. Early administration of intravenous magnesium to high-risk patients with acute myocardial infarction in the magnesium in coronaries (MAGIC) trial: a randomised controlled trial. *Lancet* 360:1189–96, 2002
- [196] Roth A, Eshchar Y, Keren G et al. Effect of magnesium on restenosis after percutaneous transluminal coronary angioplasty: a clinical and angiographic evaluation in a randomized patient population. A pilot study. *Eur Heart Jour* 15; 1164–1173, 1994
- [197] Heublein B, Rohde R, Kaese V et al. Bio-corrosion of magnesium alloys: a new principle in cardiovascular implant technology? *Heart* 89:651–656, 2003
- [198] Nicole R. Metallschädigung bei Osteosynthesen. *Helv Chir Acta* 14 (Suppl III): 5–70, 1947
- [199] Ferrando WA. Review of corrosion and corrosion control of magnesium alloys and composites. *J Mater Eng* 11:4, 1989
- [200] Waksman R, Pakala R, Kuchulakanti PK et al. Safety and efficacy of bioabsorbable magnesium alloy stents in porcine coronary arteries. *Catheter Cardiovasc Interv* 68:607–17, 2006
- [201] Peeters P, Bosiers M, Verbist J et al. Preliminary results after application of absorbable metal stents in patients with critical limb ischemia. *J Endovasc Ther* 12:1–5, 2005
- [202] Zartner P, Cesnjevar R, Singer H et al. First successful implantation of a biodegradable metal stent into the left pulmonary artery of a preterm baby. *Cathet Cardiovasc Interv* 66:590–594, 2005
- [203] Schranz D, Zartner P, Michel-Behnke I et al. Bioabsorbable metal stents for percutaneous treatment of critical reocclusion of the aorta in a newborn. *Catheter Cardiovasc Interv* 67:671–673, 2006
- [204] Erbel R, Rodermann J, Böse D et al. First absorbable metal stent implantation in human coronary arteries. *Am Coll Cardiol* 45 (3 Suppl 1): 7. Abstract 1058–1, 2005
- [205] Erbel R, Di Mario C, Bartunek J et al. PROGRESS-AMS (Clinical Performance and Angiographic Results of Coronary Stenting with Absorbable Metal Stents) Investigators. Temporary scaffolding of coronary arteries with bioabsorbable magnesium stents: a prospective,

- non-randomised multicentre trial. *Lancet*. 369(9576):1869–75, 2007
- [206] Böse D, Eggebrecht H, Haude M et al. First absorbable metal stent implantation in human coronary arteries. *Am Heart Hosp J* 4:128–130, 2006
- [207] Eggebrecht H, Rodermann J, Hunold P et al. Images in cardiovascular medicine. Novel magnetic resonance-compatible coronary stent: the absorbable magnesium-alloy stent. *Circulation* 112:e303–4, 2005
- [208] Lind AY, Eggebrecht H, Erbel R. The invisible stent: imaging of an absorbable metal stent with multislice spiral computed tomography. *Heart* 91:1604, 2005
- [209] Böse D, Eggebrecht H, Erbel R. Absorbable metal stent in human coronary arteries: imaging with intravascular ultrasound. *Heart* 92:892, 2006
- [210] Waksman R, Erbel R, Di Mario C et al. Early- and long-term intravascular ultrasound and angiographic findings after bioabsorbable magnesium stent implantation in human coronary arteries. *JACC Cardiovasc Interv* 2:312–20, 2009
- [211] Erbel R, Böse D, Haude H et al. Absorbable coronary stents. New promising technology. *Herz*. 32(4):308–19, 2007
- [212] Di Mario C, Griffiths H, Goktekin O et al. Drug-Eluting bioabsorbable magnesium stent. *J Interv Cardiol* 17:391–395, 2004
- [213] Haude M, Erbel R, Erne P et al. Safety and performance of the drug-eluting absorbable metal scaffold (DREAMS) in patients with de-novo coronary lesions: 12 month results of the prospective, multicentre, first-in-man BIOSOLVE-I trial. *Lancet*. 381(9869):836–44, 2013
- [214] Haude M, Ince H, Abizaid A et al. Safety and performance of the second-generation drug-eluting absorbable metal scaffold in patients with de-novo coronary artery lesions (BIOSOLVE-II): 6 month results of a prospective, multicentre, non-randomised, first-in-man trial. *Lancet*. 387(10013):31–9, 2016
- [215] Rupprath G, Neuhaus KL. Valvuloplasty of congenital aortic stenosis. *Herz* 13:24–31, 1988
- [216] Rupprath G, Neuhaus KL. Percutaneous balloon valvuloplasty for aortic valve stenosis in infancy. *Am J Cardiol* 55(13 Pt 1):1655–6, 1985
- [217] Holmes DR, Nishimura RA, Reeder GS. Aortic and mitral balloon valvuloplasty: emergence of a new percutaneous technique. *Int J Cardiol* 16:227–33, 1987
- [218] Pop T, Erbel R, Henrichs KJ et al. Percutaneous angioplasty of the stenotic aortic valve: results, hemodynamic effects and complications. *Z Kardiol* 77:337–45, 1988
- [219] Sack S, Henrichs KJ, Erbel R et al. Echocardiographic and angiographic evaluation of left ventricular function during percutaneous transluminal aortic valvuloplasty. *Cathet Cardiovasc Diagn* 26:82–91, 1992
- [220] Sack S, Kahlert P, Khandanpour S et al. Revival of an old method with new techniques: balloon aortic valvuloplasty of the calcified aortic stenosis in the elderly. *Clin Res Cardiol* 97:288–97, 2008
- [221] Meier B, Friedli B, Oberhaensli I et al. Trefoil balloon for percutaneous valvuloplasty. *Cathet Cardiovasc Diagn* 12:277–81, 1986
- [222] Meier B, Friedli B, Oberhaensli I. Trefoil balloon for aortic valvuloplasty. *Br Heart J* 56:292–3, 1986
- [223] Andersen HR. History of percutaneous aortic valve prosthesis. *Herz* (2009); 34(5):343–346
- [224] Lung B, Baron G, Butchart EG et al. Prospective survey of patients with valvular heart disease in Europe: The Euro Heart Survey on Valvular Heart Disease. *Eur Heart J* 24:1231–1243, 2003
- [225] Bouma BJ, Brink RBvd, Meulen JHvd et al. To operate or not on elderly patients with aortic stenosis: the decision and its consequences. *Heart* 82:143, 1998
- [226] Ross J Jr, Braunwald E. Aortic stenosis. *Circulation* 38 (1 Suppl):61–7, 1968
- [227] Otto CM. Timing of aortic valve surgery. *Heart* 84:211–8, 2000
- [228] Erbel R, Jakob H. Aktueller Stand der interventionellen und chirurgischen Aortenklappenimplantation. *Herz* 34:1–8, 2009
- [229] Cribier A, Eltchaninoff H, Bash A et al. Percutaneous transcatheter implantation of an aortic valve prosthesis for calcific aortic stenosis: first human case description. *Circulation* 106:3006–8, 2002
- [230] Sack S, Naber C, Kahlert P et al. Die perkutane Herzklappenimplantation in Aortenposition. *Herz* 30:433–7, 2005
- [231] Cribier A, Litzler PY, Eltchaninoff H et al. Technique of transcatheter aortic valve

- implantation with the Edwards-Sapien heart valve using the transfemoral approach. *Herz* (2009); 34(5):347–356
- [232] Sack S, Schofer J. Transcatheter based aortic valve implantation and future technologies. *Herz* (2009); 34(5):357–366
- [233] Al-Attar N, Nataf P. Development of aortic valve implantation. *Herz* (2009); 34(5):367–373
- [234] Bleiziffer S, Bauernschmitt R, Ruge H et al. Kathetergestützte Aortenklappenimplantation aus chirurgischer Sicht. *Herz* (2009); 34:374–380
- [235] Wendt D, Eggebrecht H, Kahlert P et al. Successful transapical aortic valve implantation four weeks before 97th birthday. *Interact Cardiovasc Thorac Surg* 8:684–6, 2009
- [236] Wendt D, Eggebrecht H, Kahlert P et al. Erfahrungen und Lernkurve mit der transapikalen Aortenklappenimplantation. *Herz* (2009); 34(5):388–397
- [237] Walther T, Dewey T, Borger MA et al. Transapical aortic valve implantation: step by step. *Ann Thorac Surg* 87:276–83, 2009
- [238] Falk V, Schwammenthal EE, Kempfert J et al. New anatomically oriented transapical aortic valve implantation. *Ann Thorac Surg* 87:925–6, 2009
- [239] Ye J, Cheung A, Lichtenstein SV et al. Transapical transcatheter aortic valve implantation: 1-year outcome in 26 patients. *J Thorac Cardiovasc Surg* 137:167–73, 2009
- [240] Greenbaum AB, Babaliaros VC, Chen MY et al. Transcaval access and closure for transcatheter aortic valve replacement: a prospective investigation. *J Am Coll Cardiol* 69:511–521, 2017
- [241] Webb JG, Munt B, Makkar RR et al. Percutaneous stent-mounted valve for treatment of aortic or pulmonary valve disease. *Catheter Cardiovasc Interv* 63:89–93, 2004
- [242] Webb JG, Altwegg L, Boone RH et al. Transcatheter aortic valve implantation: impact on clinical and valve-related outcomes. *Circulation* 119:3009–16, 2009
- [243] Grube E, Laborde JC, Zickmann B et al. First report on a human percutaneous transluminal implantation of a self-expanding valve prosthesis for interventional treatment of aortic valve stenosis. *Catheter Cardiovasc Interv* 66:465–9, 2005
- [244] Grube E, Schuler G, Buellesfeld L et al. Percutaneous aortic valve replacement for severe aortic stenosis in high-risk patients using the second- and current third-generation self-expanding CoreValve prosthesis: device success and 30-day clinical outcome. *J Am Coll Cardiol* 50:69–76, 2007
- [245] Piazza N, Grube E, Gerckens U et al. Procedural and 30-day outcomes following transcatheter aortic valve implantation using the third generation (18 Fr) CoreValve revalving system: results from the multicentre, expanded evaluation registry 1-year following CE mark approval. *Euro-Intervention* 4:242–9, 2008
- [246] Kälisch H, Sack S, Erbel R et al. Acute massive pulmonary embolism detected with angiography and intravascular ultrasound treated by pulmonary embolectomy. The hybrid concept. *Herz* 31:366–7, 2006
- [247] Jakob H, Tsagakis K, Szabo A et al. Rapid and safe direct cannulation of the true lumen of the ascending aorta in acute type A aortic dissection. *J Thorac Cardiovasc Surg* 134:244–5, 2007
- [248] Bonhoeffer P, Boudjemline Y, Oureshi SA et al. Percutaneous insertions of the pulmonary valve. *J Am Coll Cardiol* 39:1664–9, 2002
- [249] Frigiola A, Nordmeyer J, Bonhoeffer P. Percutaneous pulmonary valve replacement. *Coron Artery Dis* 20:189–91, 2009
- [250] Lurz P, Gaudin R, Taylor AM et al. Percutaneous pulmonary valve implantation. *Semin Thorac Cardiovasc Surg Pediatr Card Surg Annu* 112–7, 2009
- [251] Comas GM, Widmann WD, Hardy MA. The legacy of Sir Henry Souttar: pioneer of the first mitral valvulotomy. *Curr Surg* 63:476–81, 2006
- [252] Effert S. Pre- and postoperative evaluation of mitral stenosis by ultrasound. *Am J Cardiol* 19:59–65, 1967
- [253] Matsuura Y, Fukunaga S, Ishihara H et al. Mechanics of percutaneous balloon valvotomy for mitral valvular stenosis. *Heart Vessels* 4:179–83, 1988
- [254] Inoue K. Percutaneous transvenous mitral commissurotomy (PTMC) by using Inoue-balloon. *Kyobu Geka* 42 (Suppl 8):596–602, 1989
- [255] Hernández García JM, Castillo Castro JL, Alonso Briaes JH et al. Actuarial follow-up after percutaneous mitral valvulotomy.

- Incidence and event-predicting factors. *Rev Esp Cardiol* 52:503–11, 1999
- [256] Miche E, Bogunovic N, Fassbender D et al. Predictors of unsuccessful outcome after percutaneous mitral valvulotomy including a new echocardiographic scoring system. *J Heart Valve Dis* 5:430–5, 1996
- [257] Padial LR, Freitas N, Sagie A et al. Echocardiography can predict which patients will develop severe mitral regurgitation after percutaneous mitral valvulotomy. *J Am Coll Cardiol* 27:1225–31, 1996
- [258] Schofer J, Siminiak T, Haude M et al. Percutaneous Mitral Annuloplasty for Functional Mitral Regurgitation. Results of the CARILLON Mitral Annuloplasty Device European Union Study. *Circulation* 2009 (Epub ahead of print)
- [259] Silvestry FE, Rodriguez LL, Herrmann HC et al. Echocardiographic guidance and assessment of percutaneous repair for mitral regurgitation with the Evalve MitraClip: lessons learned from EVEREST I. *J Am Soc Echocardiogr* 20:1131–40, 2007
- [260] Sack S, Kahlert P, Erbel R. Percutaneous mitral valve: A non-stented coronary sinus device for the treatment of functional mitral regurgitation in heart failure patients. *Minim Invasive Ther Allied Technol* 1:156–163, 2009
- [261] Herrmann HC, Rohatgi S, Wasserman HS et al. Mitral valve hemodynamic effects of percutaneous edge-to-edge repair with the MitraClip device for mitral regurgitation. *Catheter Cardiovasc Interv* 68:821–8, 2006
- [262] Bonis Md, Lapenna E, La Canna G et al. Mitral valve repair for functional mitral regurgitation in end-stage dilated cardiomyopathy: role of the „edge-to-edge“ technique. *Circulation* 112 (9 Suppl): I402–8, 2005
- [263] Cheung A, Webb JG, Barbanti M et al. 5-year experience with transcatheter transapical mitral valve-in-valve implantation for bioprosthetic valve dysfunction. *JACC* 61:1759–66, 2013
- [264] Lozonschi L, Quaden R, Edwards NM et al. Transapical mitral valve stent implantation. *Ann Thorac Surg* 86:745–8, 2008
- [265] Lutter G, Lozonschi L, Ebner A et al. First-in-Human off-pump transcatheter mitral valve replacement. *JACC CV Interv* 7:1077–1078, 2014
- [266] Lee SI, Kim HJ, Kim JB et al. Medtronic Duran AnCore versus Edwards MC3 rings for tricuspid annuloplasty. *Interact Cardiovasc Thorac Surg* 2017. doi: 10.1093/icvts/ivx005
- [267] Lee H, Sung K, Kim WS et al. Clinical and hemodynamic influences of prophylactic tricuspid annuloplasty in mechanical mitral valve replacement. *J Thorac Cardiovasc Surg* 151:788–95, 2016
- [268] David TE, David CM, Manhiot CJ. When is tricuspid valve annuloplasty necessary during mitral valve surgery? *Thorac Cardiovasc Surg* 150:1043–4, 2015
- [269] Choi JW, Park EA, Lee W et al. Changes in right ventricular volume and function after tricuspid valve surgery – tricuspid annuloplasty vs. tricuspid valve replacement. *Circ J* 80:1142–7, 2016
- [270] Lauten A, Figulla HR, Willich C et al. Percutaneous caval stent valve implantation: investigation of an interventional approach for treatment of tricuspid regurgitation. *Eur Heart J* 1:1274–81, 2010
- [271] Lauten A, Doenst T, Hamadanchi A et al. Percutaneous bicaval valve implantation for transcatheter treatment of tricuspid regurgitation: clinical observations and 12-month follow-up. *Circ Cardiovasc Interv.* 7:268–72, 2014
- [272] Laule M, Stangl V, Sanad W et al. Percutaneous transfemoral management of severe secondary tricuspid regurgitation with Edwards Sapien XT bioprosthesis: first-in-man experience. *J Am Coll Cardiol* 61:1929–1931, 2013
- [273] Campelo-Parada F, Perlman G, Philippon F et al. First-in-Man Experience of a Novel Transcatheter Repair System for Treating Severe Tricuspid Regurgitation. *J Am Coll Cardiol* 66:2475–2483, 2015
- [274] Schofer J, Tiburtius C, Hammerstingl C et al. Transfemoral Tricuspid Valve Repair Using a Percutaneous Mitral Valve Repair System. *J Am Coll Cardiol* 67:889–90, 2016
- [275] Schofer J, Bijuklic K, Tiburtius C et al. First-in-human transcatheter tricuspid valve repair in a patient with severely regurgitant tricuspid valve. *J Am Coll Cardiol* 65:1190–1195, 2015
- [276] Latib A, Agricola E, Pozzoli A et al. First-in-Man Implantation of a Tricuspid Annular Remodeling Device for Functional Tri-

- cuspid Regurgitation. *JACC Interv* 8:e211–4, 2015
- [277] Malesa M, Werner N, Nickenig G, Hammerstingl C et al. Transcatheter tricuspid valve repair in a patient with isolated functional tricuspid valve regurgitation. *Eur Heart J* 37:855, 2016
- [278] Latib A, Mangieri A, Vicentini L et al. Percutaneous Tricuspid Valve Annuloplasty Under Conscious Sedation (With Only Fluoroscopic and Intracardiac Echocardiography Monitoring). *JACC Cardiovasc Interv* 10:620–621, 2017
- [279] Hahn RT, Meduri CU, Davidson CJ et al. Early Feasibility Study of a Transcatheter Tricuspid Valve Annuloplasty: SCOUT Trial 30-Day Results. *J Amer Coll Cardiol* 69:1795–1806, 2017
- [280] Lahib A, Mangieri A. Transcatheter Tricuspid Valve Repair: New Valve, New Opportunities, New Challenges. *J Amer Coll Cardiol* 69:1807–1810, 2017
- [281] Yang Y, Bartel T, Caspari G et al. Echocardiographic detection of coronary artery fistula into the pulmonary artery. *Eur J Echocardiogr* 2:292–4, 2001
- [282] Oldenburg O, Philipp T, Forsting M et al. Percutaneous, catheter-based coil embolization of coronary fistula: determination of hemodynamic relevance. *J Interv Cardiol* 16:343–6, 2003
- [283] Kim MS, Casserly IP, Garcia JA et al. Percutaneous transcatheter closure of prosthetic mitral paravalvular leaks: are we there yet? *JACC Cardiovasc Interv* 2:81–90, 2009
- [284] Turi ZG. Fitting a round plug in a crescent-shaped hole: the percutaneous approach to paravalvular leaks. *Catheter Cardiovasc Interv* 73:842–3, 2009
- [285] Pate GE, Al Zubaidi A, Chandavimol M et al. Percutaneous closure of prosthetic paravalvular leaks: case series and review. *Catheter Cardiovasc Interv* 68:528–33, 2006
- [286] Uppstrom EL, Kern MJ, Mezei L et al. Balloon catheter closure of patent foramen ovale complicating right ventricular infarction: improvement of hypoxia and intracardiac venous shunting. *Am Heart J* 116:1092–7, 1988
- [287] Engelhardt W, Messmer BJ, Bernuth Gv. Transient transcatheter balloonclosure of patent foramen ovale following surgical repair of critical pulmonary stenosis. *Thorac Cardiovasc Surg* 38:377–8, 1990
- [288] Ende DJ, Chopra PS, Rao PS. Transcatheter closure of atrial septal defect or patent foramen ovale with the buttoned device for prevention of recurrence of paradoxical embolism. *Am J Cardiol* 78:233–6, 1996
- [289] Windecker S, Wahl A, Chatterjee T et al. Percutaneous closure of patent foramen ovale in patients with paradoxical embolism: long-term risk of recurrent thromboembolic events. *Circulation* 101:893–8, 2000
- [290] Wahl A, Tai T, Praz F et al. Late results after percutaneous closure of patent foramen ovale for secondary prevention of paradoxical embolism using the Amplatzer PFO occluder without intraprocedural echocardiography: effect of device size. *JACC Cardiovasc Interv* 2:116–23, 2009
- [291] Walsh KP, Wilmshurst PT, Morrison WL. Transcatheter closure of patent foramen ovale using the Amplatzer septal occluder to prevent recurrence of neurological decompression illness in divers. *Heart* 81:257–61, 1999
- [292] Bartel T, Konorza T, Arjumand J et al. Intracardiac echocardiography is superior to conventional monitoring for guiding device closure of interatrial communications. *Circulation* 107:795–7, 2008
- [293] Wahl A, Praz F, Stinimann J et al. Safety and feasibility of percutaneous closure of patent foramen ovale without intra-procedural echocardiography in 825 patients. *Swiss Med Wkly* 138:567–72, 2008
- [294] Ruiz CE, Kipshidze N, Chiam PT et al. Feasibility of patent foramen ovale closure with no-device left behind: first-in-man percutaneous suture closure. *Catheter Cardiovasc Interv* 71:921–6, 2008
- [295] Wahl A, Praz F, Findling O et al. Percutaneous closure of patent foramen ovale for migraine headaches refractory to medical treatment. *Catheter Cardiovasc Interv* 74:124–9, 2009
- [296] Patel ME et al. Implantable atrial flow regulator for severe, irreversible pulmonary arterial hypertension. *EuroIntervention* 11(6):706–9,
- [297] Feldman T, Komtebedde J, Burkhoof D et al. Transcatheter Interatrial Shunt Device for the Treatment of Heart Failure: Rationale and Design of the Randomized Trial to REDUCE Elevated Left Atrial Pres-

- sure in Heart Failure (REDUCE LAP-HF I). *Circ Heart Fail.* 9, 2016. pii:e003025
- [298] Kuhn H, Loogen F. Use of beta-receptor blockers in hypertrophic obstructive cardiomyopathy (HOCM). *Internist (Berl)* 19:527–31, 1978
- [299] Schulte HD, Bircks W, Körfer R et al. Surgical aspects of typical subaortic and atypical midventricular hypertrophic obstructive cardiomyopathy (HOCM). *Thorac Cardiovasc Surg* 29:375–80, 1981
- [300] Kuhn H, Gietzen F, Leuner C et al. Induction of subaortic septal ischaemia to reduce obstruction in hypertrophic obstructive cardiomyopathy. Studies to develop a new catheter-based concept of treatment. *Eur Heart J* 18:846–51, 1997
- [301] Inoue H, Waller BF, Zipes DP. Intracoronary ethyl alcohol or phenol injection ablates aconitine-induced ventricular tachycardia in dogs. *J Am Coll Cardiol* 10:1342–9, 1987
- [302] Kay GN, Epstein AE, Bubien RS et al. Intracoronary ethanol ablation for the treatment of recurrent sustained ventricular tachycardia. *J Am Coll Cardiol* 19:159–68, 1992
- [303] Sigwart U. Non-surgical myocardial reduction for hypertrophic obstructive cardiomyopathy. *Lancet* 346:211–4, 1995
- [304] Gietzen F, Leuner C, Gerenkamp T et al. Katheterinterventionelle Therapie der hypertrophisch obstruktiven Kardiomyopathie durch Alkoholablation des ersten Septalastes der linken Koronararterie. *Z Kardiol (Suppl 2)*:3, 1996
- [305] Seggewiss H, Gleichmann U, Fassbender D et al. Catheter treatment of hypertrophic cardiomyopathy: acute hemodynamic and clinical results. *Circulation* 94 (Suppl 1):617, 1996
- [306] Kuhn HJ. Induced septal infarction/non-surgical septal reduction for hypertrophic obstructive cardiomyopathy. *Circulation* 97:708–9, 1998
- [307] Kuhn H, Seggewiss H, Gietzen FH et al. Catheter-based therapy for hypertrophic obstructive cardiomyopathy. First in-hospital outcome analysis of the German TASH Registry. *Z Kardiol* 93:23–31, 2004
- [308] Kuhn H, Lawrenz T, Lieder F et al. Survival after transcatheter ablation of septal hypertrophy in hypertrophic obstructive cardiomyopathy (TASH): a 10 year experience. *Clin Res Cardiol* 97:234–43, 2008
- [309] Faber L, Seggewiss H, Gietzen FH et al. Catheter-based septal ablation for symptomatic hypertrophic obstructive cardiomyopathy: follow-up results of the TASH-registry of the German Cardiac Society. *Z Kardiol* 94:516–23, 2005
- [310] Lawrenz T, Lieder F, Bartelsmeier M et al. Predictors of complete heart block after transcatheter ablation of septal hypertrophy: results of a prospective electrophysiological investigation in 172 patients with hypertrophic obstructive cardiomyopathy. *J Am Coll Cardiol* 49:2356–63, 2007
- [311] Konorza TFM, Kaelsch H, Elstermann v. Elster C et al. Interventionelle Behandlung der Hypertrophen Obstruktiven Kardiomyopathie mit einer neuen Generation von Mikrosphären. *Clin Res Cardiol* 98, V650, 2009
- [312] Singer MI, Rowen M, Dorsey TJ. Transluminal aortic balloon angioplasty for coarctation of the aorta in the newborn. *Am Heart J* 103:131–2, 1982
- [313] D'Souza VJ, Velasquez G, Weesner KM et al. Transluminal angioplasty of aortic coarctation with a two-balloon technique. *Am J Cardiol* 54:457–8, 1984
- [314] Attia IM, Lababidi ZA. Early results of balloon angioplasty of native aortic coarctation in young adults. *Am J Cardiol* 61:930–1, 1988
- [315] Erbel R, Sievert H, Bussmann WD et al. Aortic isthmus stenosis-dilatation in adulthood. A German cooperative study. *Z Kardiol* 77:797–804, 1988
- [316] McCrindle BW, Jones TK, Morrow WR et al. Acute results of balloon angioplasty of native coarctation versus recurrent aortic obstruction are equivalent. Valvuloplasty and Angioplasty of Congenital Anomalies (VACA) Registry Investigators. *J Am Coll Cardiol* 28:1810–7, 1996
- [317] Rao PS, Kosciak R. Validation of risk factors in predicting recoarctation after initially successful balloon angioplasty for native aortic coarctation. *Am Heart J* 130:116–21, 1995
- [318] Erbel R, Bednarczyk I, Pop T et al. Detection of dissection of the aortic intima and media after angioplasty of coarctation of the aorta. An angiographic, computer tomographic, and echocardiographic comparative study. *Circulation* 81:805–14, 1990

- [319] Erbel R, Gorge G, Gerber T et al. Dissection following balloon angioplasty of aortic coarctation: review of the literature. *I Interv Cardiol* 5:99–109, 1992
- [320] Rao PS. Aortic rupture after balloon angioplasty of aortic coarctation. *Am Heart J* 125:1205–6, 1993
- [321] Aydogan U, Dindar A, Gurgan L et al. Late development of dissection aneurysm following balloon angioplasty of native aortic coarctation. *Cathet Cardiovasc Diagn* 36:226–9, 1995
- [322] Ozawa A, Predescu D, Chaturvedi R et al. Cutting balloon angioplasty for aortic coarctation. *J Invasive Cardiol* 21:295–9, 2009
- [323] Bulbul ZR, Bruckheimer E, Love JC et al. Implantation of balloon-expandable stents for coarctation of the aorta: implantation data and short-term results. *Cathet Cardiovasc Diagn* 39:36–42, 1996
- [324] Suárez de Lezo J, Pan M, Romero M et al. Balloon-expandable stent repair of severe coarctation of aorta. *Am Heart J* 129:1002–8, 1995
- [325] Fletcher SE, Cheatham JP, Froeming S. Aortic aneurysm following primary balloon angioplasty and secondary endovascular stent placement in the treatment of native coarctation of the aorta. *Cathet Cardiovasc Diagn* 44:40–4, 1998
- [326] Suárez de Lezo J, Pan M, Romero M et al. Immediate and follow-up findings after stent treatment for severe coarctation of aorta. *Am J Cardiol* 83:400–6, 1999
- [327] Forbes TJ, Moore P, Pedra CA et al. Intermediate follow-up following intravascular stenting for treatment of coarctation of the aorta. *Catheter Cardiovasc Interv* 70:569–77, 2007
- [328] Golden AB, Hellenbrand WE. Coarctation of the aorta: stenting in children and adults. *Catheter Cardiovasc Interv* 69:289–99, 2007
- [329] Mahadevan VS, Vondermuhll IF, Mullen MJ. Endovascular aortic coarctation stenting in adolescents and adults: angiographic and hemodynamic outcomes. *Catheter Cardiovasc Interv* 67:268–75, 2006
- [330] Kay JD, Chan KC. Aortic pseudo aneurysm complicating coarctation stenting successfully treated with a PTFE balloon expandable covered stent. *Congenit Heart Dis* 3:209–12, 2008
- [331] Börner N, Erbel R, Braun B et al. Diagnosis of aortic dissection by transoesophageal echocardiography. *Am J Cardiol* 54:1157–8, 1984
- [332] Erbel R, Börner N, Steller D et al. Detection of aortic dissection by transoesophageal echocardiography. *Br Heart J* 58:45–51, 1987
- [333] Erbel R, Engberding R, Daniel W et al. Echocardiography in diagnosis of aortic dissection. *Lancet* 1:457–61, 1989
- [334] Seybold-Epting W, Meyer J, Hallman GL et al. Surgical treatment of acute dissection of the ascending aorta (author's transl). *Thoraxchir Vask Chir* 23:187–91, 1975
- [335] Erbel R, Oelert H, Meyer J et al. Effect of medical and surgical therapy on aortic dissection evaluated by transesophageal echocardiography. Implications for prognosis and therapy. The European Cooperative Study Group on Echocardiography. *Circulation* 87:1604–15, 1993
- [336] Matsumura JS, Katzen BT, Sullivan TM et al. Excluder Bifurcated Endoprosthesis Investigators. Predictors of survival following open and endovascular repair of abdominal aortic aneurysms. *Ann Vasc Surg* 23:153–8, 2009
- [337] Razavi M, Semba C, Dake M. Stents match surgery in treating aortic aneurysms. *Diagn Imaging (San Franc)* 20:54–6, 1998
- [338] Demers P, Miller C, Scott Mitchell R et al. Chronic traumatic aneurysms of the descending thoracic aorta: mid-term results of endovascular repair using first and second-generation stent-grafts. *Eur J Cardiothorac Surg* 25:394–400, 2004
- [339] Conrad MF, Cambria RP. Contemporary management of descending thoracic and thoracoabdominal aortic aneurysms: endovascular versus open. *Circulation* 117:841–52, 2008
- [340] Nesser HJ, Eggebrecht H, Baumgart D et al. Emergency stent-graft placement for impending rupture of the descending thoracic aorta. *J Endovasc Ther* 9 (Suppl 2):II72–8, 2002
- [341] Buhr C, Eggebrecht H, Erbel R. Percutaneous occlusion of posttraumatic aortic arch pseudoaneurysm by catheter-based delivery of thrombin. *Catheter Cardiovasc Interv* 70:713–7, 2007

- [342] Seo Y, Kaneko M, Kato M et al. Transcatheter stent-graft implantation for the treatment of acute aortic dissection – rupture of aneurysm because of perigraft leakage. *Jpn J Thorac Cardiovasc Surg* 46:179–84, 1998
- [343] Dake MD, Kato N, Mitchell RS et al. Endovascular stent-graft placement for the treatment of acute aortic dissection. *N Engl J Med* 340:1546–52, 1999
- [344] Nienaber CA, Fattori R, Lund G et al. Nonsurgical reconstruction of thoracic aortic dissection by stent-graft placement. *N Engl J Med* 340:1539–45, 1999
- [345] Eggebrecht H, Nienaber CA, Neuhäuser M et al. Endovascular stent-graft placement in aortic dissection: a meta-analysis. *Eur Heart J* 27:489–98, 2006
- [346] Huptas S, Mehta RH, Kühl H et al. Aortic remodeling in type B aortic dissection: effects of endovascular stent-graft repair and medical treatment on true and false lumen volumes. *Endovasc Ther* 16:28–38, 2009
- [347] Eggebrecht H, Kahlert P, Kaiser GM et al. Technical Development and Initial Animal Experience with a Novel Uncovered Self-Expanding, Highly Flexible Aortic Stent Prosthesis with Improved Side Branch Access. *Cath Cardiovasc Int* (2009), 16, 539–545
- [348] Jakob H, Tsagakis K, Leyh R et al. Development of an integrated stent graft-dacron prosthesis for intended one-stage repair in complex thoracic aortic disease. *Herz* 30:766–8, 2005
- [349] Jakob H, Jakob H, Tsagakis K et al. Combining classic surgery with descending stent grafting for acute DeBakey type I dissection. *Ann Thorac Surg* 86:95–101, 2008
- [350] Borst HG, Walterbusch G, Schaps D. Extensive aortic replacement using „elephant trunk“ prosthesis. *J Thorac Cardiovasc Surg* 31:37–40, 1983
- [351] Eggebrecht H, Mehta RH, Metzounve H et al. Clinical implications of systemic inflammatory response syndrome following thoracic aortic stent-graft placement. *J Endovasc Ther* 15:135–43, 2008
- [352] Gorla R, Erbel R, Kahlert P et al. Clinical features and prognostic value of stent-graft-induced post-implantation syndrome after thoracic endovascular aortic repair in patients with type B acute aortic syndromes. *Eur J Cardiothorac Surg* 49:1239–47, 2016
- [353] Kuehl H, Eggebrecht H, Boes T et al. Detection of inflammation in patients with acute aortic syndrome: comparison of FDG-PET/CT imaging and serological markers of inflammation. *Heart* 94:1472–7, 2008
- [354] Gorla R, Erbel R, Kuehl H et al. Prognostic value of (18)F-fluorodeoxyglucose PET-CT imaging in acute aortic syndromes: comparison with serological biomarkers of inflammation. *Int J Cardiovasc Imaging* 31:1677–85, 2015
- [355] Eggebrecht H, Mehta RH, Dechene A et al. Aortoesophageal fistula after thoracic aortic stent-graft placement: a rare but catastrophic complication of a novel emerging technique. *JACC Cardiovasc Interv* 2:570–6, 2009
- [356] Engelhardt H, Paul A, Niebel W et al. Successful treatment of secondary aortoesophageal fistula after thoracic endovascular aortic repair]. *Dtsch Med Wochenschr* 135:2076–80, 2010
- [357] Eggebrecht H, Nienaber CA, Neuhäuser M et al. Endovascular stent-graft placement in aortic dissection: a meta-analysis. *Eur Heart J* 27:489–98, 2006
- [358] Eggebrecht H, Pamler R, Zipfel B et al. Stent-graft implantation in the thoracic aorta. Results of an interdisciplinary survey in Germany. *Dtsch Med Wochenschr* 131:730–4, 2006
- [359] Eggebrecht H, Kühl H, Kaiser GM et al. Feasibility of real-time magnetic resonance-guided stent-graft placement in a swine model of descending aortic dissection. *Eur Heart J* 27:613–20, 2006
- [360] Erbel R, Aboyans V, Boileau C et al. 2014 ESC Guidelines on the diagnosis and treatment of aortic diseases: Document covering acute and chronic aortic diseases of the thoracic and abdominal aorta of the adult. The Task Force for the Diagnosis and Treatment of Aortic Diseases of the European Society of Cardiology (ESC). *Eur Heart J* 35:2873–926, 2014. Erratum in: *Eur Heart J* 36:2779, 2015
- [361] Benichoux R. The surgical treatment of massive pulmonary embolism; report of 22 cases of Trendelenburg's operation. *J Int Chir* 11:464–91, 1951
- [362] Crafoord C, Benichoux R. The surgical treatment of massive embolism of the pul-

- monary artery. *Rev Med Nancy* 77:523–45, 1952
- [363] Cooley DA, Beall AC Jr, Alexander JK. Acute massive pulmonary embolism. Successful surgical treatment using temporary cardiopulmonary bypass. *JAMA* 177:283–6, 1961
- [364] Cooley DA, Beall AC Jr. Surgical treatment of acute massive pulmonary embolism using temporary cardiopulmonary bypass. *Dis Chest* 41:102–4, 1962
- [365] Rosenberg DM, Ekman PJ, Pearce CW. Surgical treatment of massive pulmonary embolism with the use of extracorporeal circulation. *J Cardiovasc Surg (Torino)* 3:428–35, 1962
- [366] Beall AC Jr, Cooley DA. Use of cardiopulmonary bypass for resuscitation and treatment of acute massive pulmonary embolism. *Pac Med Surg* 75:67–70, 1967
- [367] Taguchi K, Okumori M, Kay JH. Treatment of massive pulmonary embolism with pulmonary artery aspiration employing cardiopulmonary bypass. An experimental study. *J Thorac Cardiovasc Surg* 59:645–54, 1970
- [368] Miller GA, Sutton GC, Kerr IH et al. Comparison of streptokinase and heparin in treatment of isolated acute massive pulmonary embolism. *Br Med J* 2:681–4, 1971
- [369] Renkes-Hegendörfer U, Hermann K. Successful treatment of a case of fulminant massive pulmonary embolism with streptokinase. *Circulation* 77:253–60, 1988
- [370] Greenfield LJ, Elkins RC, Brown PP. Treatment of acute massive pulmonary embolism by transvenous catheter embolectomy and a new filter device. *Bull Soc Int Chir* 34:57–60, 1975
- [371] Nakao M, Haruna H, Okamura M et al. Surgical treatment of massive pulmonary embolism – an experience of using ECMO in cardiopulmonary failure. *Kyobu Geka* 40:721–5, 1987
- [372] Cuccia C, Campana M, Franzoni P et al. Effectiveness of intravenous rtPA in the treatment of massive pulmonary embolism and right heart thromboembolism. *Am Heart J* 126:468–72, 1993
- [373] Sigmund M, Rubart M, Vom Dahl J et al. Successful treatment of massive pulmonary embolism by combined mechanical and thrombolytic therapy. *J Interv Cardiol* 4:63–8, 1991
- [374] Tomkowski W, Borowiec B, Hajduk B et al. Low doses of rtPA administered as a bolus in treatment of clinically acute massive pulmonary embolism. *Pneumonol Alergol Pol* 64 (Suppl 2):161–5, 1996
- [375] Uflacker R, Strange C, Vujic I. Massive pulmonary embolism: preliminary results of treatment with the Amplatz thrombectomy device. *J Vasc Interv Radiol* 7:519–28, 1996
- [376] Schmitz-Rode T, Janssens U, Duda SH et al. Massive pulmonary embolism: percutaneous emergency treatment by pigtail rotation catheter. *J Am Coll Cardiol* 36:375–80, 2000
- [377] Taskinen P, Mosorin M, Lepojrvi M. Treatment of massive pulmonary embolism through embolectomy. *Duodecim* 120:1256–60, 2004
- [378] Zeni PT Jr, Blank BG, Peeler DW. Use of rheolytic thrombectomy in treatment of acute massive pulmonary embolism. *J Vasc Interv Radiol* 14:1511–5, 2003
- [379] Kadner A, Schmidli J, Schönhoff F et al. Excellent outcome after surgical treatment of massive pulmonary embolism in critically ill patients. *J Thorac Cardiovasc Surg* 136:448–51, 2008
- [380] Pieri S, Agresti P. Hybrid treatment with angiographic catheter in massive pulmonary embolism: mechanical fragmentation and fibrinolysis. *Radiol Med* 112:837–49, 2007
- [382] Barbosa MA, Oliveira DC, Barbosa AT et al. Treatment of massive pulmonary embolism by percutaneous fragmentation of the thrombus. *Arq Bras Cardiol* 88:279–84, 2007
- [383] Kucher N, Boekstegers P, Müller OJ et al. Randomized, controlled trial of ultrasound-assisted catheter-directed thrombolysis for acute intermediate-risk pulmonary embolism. *Circulation* 129:479–86, 2014
- [384] Kälsch H, Sack S, Erbel R et al. Acute massive pulmonary embolism detected with angiography and intravascular ultrasound treated by pulmonary embolectomy. The hybrid concept. *Herz* 31:366–7, 2006
- [385] Konorza T, Plicht B, Aidonidis G et al. Percutaneous dilatation of the pulmonary arteries and combined selective lysis with urokinase and heparin as a new treatment option in patients with chronic embolic

- lung embolism. *EuroIntervention*, 5:E–62, 2009
- [386] Konstantinides SV, Torbicki A, Agnelli G et al., Task Force for the Diagnosis and Management of Acute Pulmonary Embolism of the European Society of Cardiology (ESC). 2014 ESC guidelines on the diagnosis and management of acute pulmonary embolism. *Eur Heart J* 35:3033–69, 2014. Erratum in: *Eur Heart J* 36:2666, 2015. *Eur Heart J* 36:2642, 2015
- [387] Erbel R, Konorza T, Haude M et al. Rolle der interventionellen Kardiologie in der Therapie der koronaren Herzerkrankung. *Herz* 27:471–80, 2002
- [388] Wieneke H, Dirsch O, Sawitowski T et al. Synergistic effects of a novel nanoporous stent coating and tacrolimus on intima proliferation in rabbits. *Catheter Cardiovasc Interv* 60:399–407, 2003
- [389] Tunstall-Pedoe H, Vanuzzo D, Hobbs M et al. for the MONICA project. Estimation of contribution of changes in coronary care to improving survival, event rates, and coronary heart disease mortality across the WHO MONICA Project populations. *Lancet* 355:688–700, 2000