

5 Diagnostische Koronarangiografie

- [1] Dodge JT Jr, Brown BG, Bolson EL et al. Lumen diameter of normal human coronary arteries. Influence of age, sex, anatomic variation, and left ventricular hypertrophy or dilation. *Circulation* 6:232–246, 1992
- [2] Hamm CW, Albrecht A, Bonzel T et al. Diagnostische Herzkatheteruntersuchung. *Clin Res Cardiol* 97:475–512, 2008. Erratum in: *Clin Res Cardiol* 97:925, 2008
- [3] Buck T. Manual zur Indikation und Durchführung der Echokardiographie. *Clin Res Cardiol Suppl* 4:3–51, 2009
- [4] Krause W. Über den Ursprung einer akzessorischen A. coronaria cordis aus der A. pulmonalis. *Z Ratl Med* 24:225–227, 1865
- [5] Said SA, Landman GH. Coronary-pulmonary fistula: long-term follow-up in operated and non-operated patients. *Int J Cardiol* 27:203–210, 1990
- [6] Alkhulaifi AM, Horner SM, Pugsley WB et al. Coronary artery presenting with bacterial endocarditis. *Ann Thorac Surg* 60:202–204, 1995
- [7] Willerson JT. Coronary artery anomalies. Coronary morphogenesis. From diagnosis to surgical management. *Texas Heart Institut J* 29:241–313, 2002
- [8] Gräni C, Buechel RR, Kaufmann PA et al. Multimodality imaging in individuals with anomalous coronary arteries. *JACC Cardiovasc Imag* 10:471–481, 2017
- [9] Cheezum MK, Liberthson RR, Shah NR et al. Anomalous aortic origin of a coronary artery from the inappropriate sinus of valsalva. *J Am Coll Cardiol* 69:1592–1608, 2017
- [10] Hillis LD, Smith PK, Anderson JL et al. 2011 ACCF/AHA Guideline for Coronary Artery Bypass Graft Surgery. *J Am Coll Cardiol* 58:e123–210, 2011
- [11] Warnes CA, Williams RG, Bashore TM et al. ACC/AHA 2008 guidelines for the management of adults with congenital heart disease: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Develop Guidelines on the Management of Adults With Congenital Heart Disease). *J Am Coll Cardiol* 52:e143–263, 2008
- [12] Van Hare GF, Ackerman MJ, Evangelista JA et al. Eligibility and disqualification recommendations for competitive athletes with cardiovascular abnormalities: task force 4: congenital heart disease: a scientific statement from the American Heart Association and American College of Cardiology. *J Am Coll Cardiol* 66:2372–2384, 2015
- [13] Erbel R, Neuhaus KL, Spiller P et al. The effect of contrast medium injection into the left ventricle on systolic and diastolic ventricle function. *Z Kardiol* 5:305–318, 1976
- [14] Erbel R, Schweizer P, Lambertz H et al. Echoventriculography – a simultaneous analysis of two-dimensional echocardiography and cineventriculography. *Circulation* 67:205–215, 1983
- [15] Weinsaft JW, Kim HW, Crowley AL et al. LV thrombus detection by routine echocardiography: insights into performance characteristics using delayed enhancement CMR. *JACC Cardiovasc Imaging* 4:702–712, 2011
- [16] Herman MV, Haniel RA, Klein MD et al. Localized disorders in myocardial contraction. Asynergy and its role in congestive heart failure. *N Engl J Med* 277:222–232, 1967
- [17] Dyer R. Thoracic aortography. In: *Handbook of basic vascular and interventional radiology*. Churchill Livingstone. New York 1993
- [18] Natsis KI, Tsitouridis IA, Didagelos MV et al. Anatomical variations in the branches of the human aortic arch in 633 angiographies: clinical significance and lite-

- ature review. *Surg Radiol Anat* 31:319–323, 2009
- [19] Sarkar K, Sharma SK, Kini SA. Catheter selection for coronary angiography and intervention in anomalous right coronary arteries. *J Interv Cardiol* 22:234–239, 2009
- [19a] Donisan T, Sayed L. Dual ostia right coronary artery: a newly described coronary anomaly. *JACC Cardiovasc Interv* 14:e69–70, 2021
- [20] Kuon E, Dahm JB, Robinson DM et al. Radiation-reducing planning of cardiac catheterisation. *Z Kardiol* 94:663–673, 2005
- [21] Kuon E, Weitmann K, Hoffmann W et al. Efficacy of a mini course in radiation-reducing techniques in invasive cardiology: a multicenter field study. *JACC Cardiovasc Interv* 7:382–390, 2014
- [22] Kuon E, Weitmann K, Hummel A et al. Latest-generation catheterization systems enable invasive submillisievert coronary angiography. *Herz* 40 Suppl 3:233–239, 2015
- [23] Kuon E, Felix SB, Weitmann K et al. Long-term strategies support autonomy in radiation safety in invasive cardiology. *J Kardiol* 68:43–48, 2016
- [24] King SB 3rd, Smith SC Jr, Hirshfeld JW Jr et al. 2007 focused update of the ACC/AHA/SCAI 2005 guideline update for percutaneous coronary intervention: a report of the American College of Cardiology/American Heart Association Task Force on Practice guidelines. *J Am Coll Cardiol* 51:172–209, 2008
- [25] West R, Ellis G, Brooks N. Complications of diagnostic cardiac catheterization: results from a confidential inquiry into cardiac catheter complications. *Heart* 2:810–814, 2006
- [26] Applegate RJ, Sacrinty MT, Kutcher MA et al. Trends in vascular complications after diagnostic cardiac catheterization and percutaneous coronary intervention via the femoral artery, 1998 to 2007. *JACC Cardiovasc Interv* 1:317–326, 2008
- [27] Gregory D, Midodzi W, Pearce N. Complications with Angio-Seal™ vascular closure devices compared with manual compression after diagnostic cardiac catheterization and percutaneous coronary intervention. *J Interv Cardiol* 26:630–638, 2013
- [28] El-Ghanem M, Malik AA, Azzam A et al. Occurrence of femoral nerve injury among patients undergoing transfemoral percutaneous catheterization procedures in the United States. *J Vasc Interv Neurol* 9:54–58, 2017
- [29] Scanlon PJ, Faxon DP, Audet AM et al. ACC/AHA guidelines for coronary angiography: executive summary and recommendations. A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Coronary Angiography) developed in collaboration with the Society for Cardiac Angiography and Interventions. *Circulation* 99:2345–2357, 1999
- [30] TIMI study group. The Thrombolysis in Myocardial Infarction (TIMI) trial: phase 1 findings. *N Engl J Med* 312:932–936, 1985
- [31] Gibson CM, Cannon CO, Murphy SA et al. Relationship of TIMI Myocardial Perfusion Grade to mortality after administration of thrombolytic drugs. *Circulation* 101:125–130, 2000
- [32] Gibson CM, Cannon CP, Daley WL et al. TIMI frame count: a quantitative method of assessing coronary artery flow. *Circulation* 3:879–888, 1996
- [33] Medina A, Suarez de Lezo J, Pan M. A new classification of coronary bifurcation lesions. *REV Esp Cardiol* 8:199–204, 2006
- [34] Louvard Y, Thomas M, Dzavik V et al. Classification of coronary artery bifurcation lesions and treatments: time for a consensus. *Catheter Cardiovasc Interv* 71:175–183, 2008
- [35] Zlotnick DM, Ramanath VS, Brown JR et al. Classification and treatment of coronary artery bifurcation lesions: putting the Medina classification to the test. *Cardiovasc Revasc Med* 13:228–233, 2012
- [36] Ferenc M, Neumann FJ. Towards a lesion-specific approach to percutaneous coronary intervention for bifurcation lesions, *Eur Heart J* 41:2537–2540, 2020
- [37] Rentrop K, Cohen M, Blanke H et al. Changes in collateral filling immediately following controlled coronary occlusion by an angioplasty balloon in man. *J Am Coll Cardiol* 5:587–592, 1985
- [38] Serruys PW, Morice MC, Kappetein P et al. Percutaneous coronary intervention versus coronary-artery bypass grafting for severe coronary artery disease. *N Engl J Med* 60:961–972, 2009
- [39] Reyman HC. Dissertationem inauguralem de vasis cordis propriis, 1–32. Medizini-

- sche Dissertation. Universität Göttingen, 1737
- [40] Black S. A case of angina pectoris with a dissection. *Men Med Soc Lond* 6–41, 1805
 - [41] Geiringer E. The mural coronary. *Am Heart J* 41:359–368, 1951
 - [42] Möhlenkamp S, Eggebrecht H, Ebraldize T et al. Muskelbrücken der Koronararterien: mögliche ischämierelevante Normvarianten. *Herz* 30:37–47, 2005
 - [43] Ge J, Erbel E, Gorge G et al. High wall shear stress proximal to myocardial bridging and atherosclerosis: intracoronary ultrasound and pressure measurements. *Heart* 73:462–465, 1995
 - [44] Malek AM, Alper SL, Izumo S. Hemodynamic shear stress and its role in atherosclerosis. *JAMA* 282:2035–2042, 1999
 - [45] Erbel R, Ge J, Möhlenkamp S. Myocardial bridging: a congenital variant as an anatomic risk factor for myocardial infarction? *Circulation* 120:357–359, 2009
 - [46] Ge J, Jeremias A, Rupp A et al. New signs characteristic of myocardial bridging demonstrated by intracoronary ultrasound and Doppler. *Eur Heart J* 20:1707–1716, 1999
 - [47] Böse D, Philipp S. High-resolution imaging of myocardial bridging. *N Engl J Med* 358:392, 2008
 - [48] Eggebrecht H, Möhlenkamp S. Myocardial bridging. *N Engl J Med* 349:1047, 2003
 - [49] Qian JY, Zhang F, Dong M et al. Prevalence and characteristics of myocardial bridging in coronary angiogram – data from consecutive 5525 patients. *Chin Med J (Engl)* 122:632–635, 2009
 - [50] Wang MH, Sun AJ, Qian JY et al. Myocardial bridging detection by non-invasive multi-slice spiral computed tomography: comparison with intravascular ultrasound. *Chin Med J (Engl)* 121:17–21, 2008
 - [51] Klues HG, Schwarz ER, vom Dahl J et al. Disturbed intracoronary hemodynamics in myocardial bridging: early normalization by intracoronary stent placement. *Circulation* 96:2905–2913, 1997
 - [52] Jeremias A, Haude M, Ge J et al. Notfallmäßige Stent-Implantation in dem Bereich einer ausgedehnten Muskelbrücke des Ramus interventricularis anterior nach postinterventioneller Dissektion. *Z Kardiol* 6:367–372, 1997
 - [53] Tandar A, Whisenant BK, Michaels AD. Stent fracture following stenting of a myocardial bridge: a report of two cases. *Catheter Cardiovasc Interv* 71:191–196, 2008
 - [54] Daoud AS, Pankin D, Tulgan H et al. Aneurysms of the coronary artery: report of ten cases and review of literature. *Am J Cardiol* 11:228–237, 1963
 - [55] Ge J, Liu F, Kearney P et al. Intravascular ultrasound approach to the diagnosis of coronary artery aneurysms. *Am Heart J* 130:765–771, 1995
 - [56] Fukazawa R, Kobayashi T, Mikami M et al. Nationwide survey of patients with giant coronary aneurysm secondary to kawasaki disease 1999–2010 in Japan. *Circ J* 82:239–246, 2017
 - [57] Chen PT, Lin MT, Chen YS et al. Computed tomography predict regression of coronary artery aneurysm in patients with Kawasaki disease. *J Formos Med Assoc* 116:806–814, 2017
 - [58] Jurado-Román A, López-Lluya MT, Sánchez-Pérez I et al. Coronary artery aneurysm after mini-crush drug-eluting stent technique in a chronic total occlusion. *J Invasive Cardiol* 29:e81–82, 2017
 - [59] Wainstein RV, Araujo GN, Valle FH et al. Coronary artery aneurysm after bioresorbable scaffold implantation. *J Invasive Cardiol* 29:e79–80, 2017
 - [60] Mehran R, Ambrose JA, Bongu RM et al. Angioplasty of complex lesions in ischemic rest angina: results of the Thrombolysis and Angioplasty in Unstable Angina (TAUSA) trial. *J Am Coll Cardiol* 26:961–966, 1995
 - [61] Breuckman F, Nassenstein K, Boese D et al. Successful nitinol stent implantation in a large coronary aneurysm: post-interventional patency assessment by magnetic resonance imaging. *Intern J Cardiovasc Imag* 22:501–505, 2006
 - [62] Núñez-Gil JJ, Nombela-Franco L, Bagur R et al. Rationale and design of a multicenter, international and collaborative Coronary Artery Aneurysm Registry (CAAR). *Clin Cardiol* 40:580–585, 2017
 - [63] Vanzetto G, Berger-Coz E, Barone-Rochette G et al. Prevalence, therapeutic management and medium-term prognosis of spontaneous coronary artery dissection: results from a database of 11,605 patients. *Eur J Cardiothorac Surg* 35:250–254, 2009

- [64] Hering D, Piper C, Hohmann C et al. Prospective study of the incidence, pathogenesis and therapy of spontaneous, by coronary angiography diagnosed coronary artery dissection, *Z Kardiol* 87:961–970, 1998
- [65] Tweet MS, Hayes SN, Codsí E et al. Spontaneous coronary artery dissection associated with pregnancy. *J Am Coll Cardiol* 70:426–435, 2017
- [66] Pretty HC. Dissecting aneurysm of coronary artery in a woman aged. *Brit Med J* 42:1, 1931
- [67] Saw J. Spontaneous coronary artery dissection. *Can J Cardiol* 29:1027–1033, 2013
- [68] Kwon TG, Gulati R, Matsuzawa Y et al. Proliferation of coronary adventitial vasa vasorum in patients with spontaneous coronary artery dissection. *JACC Cardiovasc Imaging* 9:891–892, 2016
- [69] Saw J, Poulter R, Fung A et al. Spontaneous coronary artery dissection in patients with fibromuscular dysplasia: a case series. *Circ Cardiovasc Interv* 5:134–137, 2012
- [70] Fahmy P, Prakash R, Starovoytov A et al. Pre-disposing and precipitating factors in men with spontaneous coronary artery dissection. *JACC Cardiovasc Interv* 9:866–868, 2016
- [71] Henkin S, Negrotto SM, Tweet MS et al. Spontaneous coronary artery dissection and its association with heritable connective tissue disorders. *Heart* 102:876–881, 2016
- [72] Goel K, Tweet M, Olson TM et al. Familial spontaneous coronary artery dissection: evidence for genetic susceptibility. *JAMA Intern Med* 175:821–826, 2015
- [73] Böse D, Eggebrecht H, Churzidse S et al. 1-antitrypsin deficiency associated iatrogenic coronary artery dissection during intracoronary ultrasound examination. *Herz* 28:779, 2003
- [74] Kordish I, Philipp S, Böse D et al. Dissection of the right coronary artery as a complication after the IVUS procedure. *Herz* 32:573–577, 2007
- [75] Adlam D, Alfonso F, Maas A et al., Writing Committee. European Society of Cardiology, acute cardiovascular care association, SCAD study group: a position paper on spontaneous coronary artery dissection. *Eur Heart J* 39:3353–3368, 2018
- [76] Luong C, Starovoytov A, Heydari M et al. Clinical presentation of patients with spontaneous coronary artery dissection. *Catheter Cardiovasc Interv* 89:1149–1154, 2017
- [77] Saw J. Coronary angiogram classification of spontaneous coronary artery dissection. *Catheter Cardiovasc Interv* 84:1115–1122, 2014
- [78] Saw J, Sedlak T, Ganesh SK et al. Cardiology patient page. Spontaneous coronary artery dissection (SCAD). *Circulation* 131:e3–5, 2015
- [79] Arnold JR, West NE, van Gaal WJ et al. The role of intravascular ultrasound in the management of spontaneous coronary artery dissection. *Cardiovasc Ultrasound* 6:24, 2008
- [80] Kearney P, Erbel R, Ge J et al. Assessment of spontaneous coronary artery dissection by intravascular ultrasound in a patient with unstable angina. *Cathet Cardiovasc Diagn* 32:58–61, 1994
- [81] Baumgart D, Liu F, Haude M et al. Acute plaque rupture and myocardial stunning in patient with normal coronary arteriography. *Lancet* 346(8968):193–194, 1995
- [82] Maehara A, Mintz GS, Castagna MT et al. Intravascular ultrasound assessment of spontaneous coronary artery dissection. *Am J Cardiol* 89:466–468, 2002
- [83] Auer J, Punzengruber C, Berent R et al. Spontaneous coronary artery dissection involving the left main stem: assessment by intravascular ultrasound. *Heart* 90:e39, 2004
- [84] Ohlmann P, Weigold G, Kim SW et al. Images in cardiovascular medicine. Spontaneous coronary dissection: computed tomography appearance and insights from intravascular ultrasound examination. *Circulation* 113:e403–405, 2006
- [85] Alfonso F, Canales E, Aleong G. Spontaneous coronary artery dissection: diagnosis by optical coherence tomography. *Eur Heart J* 30:385, 2009
- [86] Ishibashi K, Kitabata H, Akasaka T. Intracoronary optical coherence tomography assessment of spontaneous coronary artery dissection. *Heart* 95:818, 2009
- [87] Poon K, Bell B, Raffel OC et al. Spontaneous coronary artery dissection: utility of intravascular ultrasound and optical coherence tomography during percutaneous

- coronary intervention. *Circ Cardiovasc Interv* 4:e5–7, 2011
- [88] Alfonso F, Paulo M, Gonzalo N et al. Diagnosis of spontaneous coronary artery dissection by optical coherence tomography. *J Am Coll Cardiol* 59:1073–1079, 2012
- [89] Paulo M, Sandoval J, Lennie V et al. Combined use of OCT and IVUS in spontaneous coronary artery dissection. *JACC Cardiovasc Imaging* 6:830–832, 2013
- [90] Giacoppo D, Capodanno D, Dangas G et al. Spontaneous coronary artery dissection. *Int J Cardiol* 175:8–20, 2014
- [91] Hoshi T, Sato A, Hiraya D et al. Multimodality intracoronary imaging in spontaneous coronary artery dissection: impacts of intravascular ultrasound, optical coherence tomography, and coronary angiography. *Catheter Cardiovasc Interv* 81:e151–154, 2013
- [92] Torres-Ayala SC, Maldonado J, Bolton JS et al. Coronary computed tomography angiography of spontaneous coronary artery dissection: a case report and review of the literature. *Am J Case Rep* 16:130–135, 2015
- [93] Manghat NE, Morgan-Hughes GJ, Roobottom CA. Spontaneous coronary artery dissection: appearance and follow-up on multi-detector row CT coronary angiography. *Clin Radiol* 60:1120–1125, 2005
- [94] Russo V, Marrozzini C, Zompatori M. Spontaneous coronary artery dissection: role of coronary CT angiography. *Heart*, 99:672–673, 2013
- [95] Tweet MS, Gulati R, Williamson EE et al. Multimodality imaging for spontaneous coronary artery dissection in women. *JACC Cardiovasc Imaging* 9:436–450, 2016
- [96] Eleid MF, Tweet MS, Young PM et al. Spontaneous coronary artery dissection: challenges of coronary computed tomography angiography. *Eur Heart J Acute Cardiovasc Care* 7(7):609–613, 2018
- [97] Alzand BSN, Vanneste L, Fonck D et al. Spontaneous coronary artery dissection undissolved using cardiac computed tomography. *Int J Cardiol* 222:1040–1041, 2017
- [98] Nakashima T1, Noguchi T, Morita Y et al. Detection of intramural hematoma and serial non-contrast T1-weighted magnetic resonance imaging findings in a female patient with spontaneous coronary artery dissection. *Circ J* 77:2844–2845, 2013
- [99] Saw J, Aymong E, Sedlak T et al. Spontaneous coronary artery dissection: association with predisposing arteriopathies and precipitating stressors and cardiovascular outcomes. *Circ Cardiovasc Interv* 7:645–655, 2014
- [100] Rogowski S, Maeder MT, Weilenmann D et al. Spontaneous coronary artery dissection: angiographic follow-up and long-term clinical outcome in a predominantly medically treated population. *Catheter Cardiovasc Interv* 89:59–68, 2017
- [101] Nakashima T, Noguchi T, Haruta S et al. Prognostic impact of spontaneous coronary artery dissection in young female patients with acute myocardial infarction: A report from the Angina Pectoris-Myocardial Infarction Multicenter Investigators in Japan. *Int J Cardiol* 207:341–348, 2016
- [102] Saw J, Humphries K, Aymong E et al. Spontaneous coronary artery dissection: clinical outcomes and risk of recurrence. *J Am Coll Cardiol* 70:1148–1158, 2017
- [103] Marijona E, Fressonnet R, Haggui A et al. Spontaneous coronary dissection of the left main stem after intense physical activity – Regression under conservative strategy. *Int J Cardiol* 128:e16–18, 2018
- [104] Zupan I, Noc M, Trinkaus D et al. Double vessel extension of spontaneous left main coronary artery dissection in young women treated with thrombolytics. *Catheter Cardiovasc Interv* 52:226–230, 2001
- [105] Goh AC, Lundstrom RJ. Spontaneous coronary artery dissection with cardiac tamponade. *Tex Heart Inst J* 42:479–482, 2015
- [106] Shamloo BK, Chintala RS, Nasur A et al. Spontaneous coronary artery dissection: aggressive vs. conservative therapy. *J Invasive Cardiol* 22:222–228, 2010
- [107] Byrne RA, Rossello X, Coughlan JJ et al. ESC Scientific Document Group. 2023 ESC Guidelines for the management of acute coronary syndromes. *Eur Heart J* 44:3720–3826, 2023
- [108] Saw J, Mancini GB, Humphries KH. Contemporary review on spontaneous coronary artery dissection. *J Am Coll Cardiol* 68:297–312, 2016

- [109] Tweet MS, Gulati R, Hayes SN. Spontaneous coronary artery dissection. *Curr Cardiol Rep* 18:60 (1–6), 2016
- [110] Combaret N, Souteyrand G, Amonchot A et al. Contribution of guidance by optical coherence tomography (OCT) in rescue management of spontaneous coronary artery dissection. *Eur Heart J Cardiovasc Imaging* 14:714, 2013
- [111] Bento AP, Fernandes RG, Neves DC et al. Spontaneous coronary dissection: „Live Flash“ optical coherence tomography guided angioplasty. *Case Rep Cardiol* 2016:5643819, 2016
- [112] Mori H, Kutys R, Romero M et al. Stenting of spontaneous coronary artery dissection from a pathological point of view. *Circ Cardiovasc Interv* 9(12):e004549, 2016
- [113] Mahr P, Ge J, Haude M et al. Extramural vessel wall hematoma causing a reduced vessel diameter after coronary stenting: diagnosis by intravascular ultrasound and treatment by stent implantation. *Cathet Cardiovasc Diagn* 43:438–443, 1998
- [114] Lempereur M, Fung A, Saw J. Stent malapposition with resorption of intramural hematoma with spontaneous coronary artery dissection. *Cardiovasc Diagn Ther* 5:323–329, 2015
- [114a] Motreff P, Ronchard T, Sanguineti F et al. Coronary artery fenestration: a promising technique for rescue management of spontaneous intramural hematoma with luminal compression. *JACC Cardiovasc Interv* 11:1902–1907, 2018
- [115] Martins JL, Afreixo V, Santos L et al. Medical treatment or revascularisation as the best approach for spontaneous coronary artery dissection: A systematic review and meta-analysis. *Eur Heart J Acute Cardiovasc Care* 7(7):614–623, 2018
- [116] Tweet MS, Hayes SN, Pitta SR et al. Clinical features, management, and prognosis of spontaneous coronary artery dissection. *Circulation* 126:579–588, 2012
- [117] Lettieri C, Zavalloni D, Rossini R et al. Management and long-term prognosis of spontaneous coronary artery dissection. *Am J Cardiol* 116:66–73, 2015
- [118] Tweet MS, Hayes SN, Pitta SR et al. Clinical features, management, and prognosis of spontaneous coronary artery dissection. *Circulation* 126:579–588, 2012
- [119] Eleid MF, Guddeti RR, Tweet MS et al. Coronary artery tortuosity in spontaneous coronary artery dissection: angiographic characteristics and clinical implications. *Circ Cardiovasc Interv* 7:656–662, 2014
- [120] Toggweiler S, Puck M, Thalhammer C et al. Associated vascular lesions in patients with spontaneous coronary artery dissection. *Swiss Med Wkly* 142:w13538, 2012
- [121] Liang JJ, Prasad M, Tweet MS et al. A novel application of CT angiography to detect extracoronary vascular abnormalities in patients with spontaneous coronary artery dissection. *J Cardiovasc Comput Tomogr* 8:189–197, 2014
- [122] Prasad M, Tweet MS, Hayes SN et al. Prevalence of extracoronary vascular abnormalities and fibromuscular dysplasia in patients with spontaneous coronary artery dissection. *Am J Cardiol* 115:1672–1677, 2015
- [123] Persu A, Van der Niepen P, Touze E et al. Revisiting fibromuscular dysplasia: rationale of the European fibromuscular dysplasia initiative. *Hypertension* 68:832–839, 2016
- [123a] Khiatah B, Jazayeri S, Yamamoto N et al. Cardiovascular disease in women: A review of spontaneous coronary artery dissection. *Medicine (Baltimore)*. 101:e30433, 2022
- [123b] Alfonso F, de la Torre Hernández JM, Ibáñez B et al. Rationale and design of the BA-SCAD (Beta-blockers and Antiplatelet agents in patients with Spontaneous Coronary Artery Dissection) randomized clinical trial. *Rev Esp Cardiol (Engl Ed)*. 75:515–522, 2022
- [124] Iga K, Gen H, Tomonaga G et al. Reversible left ventricular wall motion impairment caused by pheochromocytoma: a case report. *Jpn Circ J* 53:813–818, 1989
- [125] Sato TH, Uchida T, Dote K et al. Tako-tsubo-like left ventricular dysfunction due to multivessel coronary spasm. In: Kodama K, Haze K, Hori M (Eds), *Clinical Aspect of Myocardial Injury: From Ischemia to Heart Failure*. Tokyo, Japan: Kagakuhyoronsha Publishing Co; 56–64, 1990
- [126] Ghadri J-R, Wittstein IS, Prasad A et al. International expert consensus document on takotsubo syndrome (part i): clinical characteristics, diagnostic criteria, and pa-

- thophysiology. *Eur Heart J* 39:2032–2046, 2018
- [127] Natterson-Horowitz B, Bowers K. Wir sind Tier. Was wir von den Tieren für unsere Gesundheit lernen können. München: Knaus 2014
- [128] Ghadri JR, Sarcon A, Diekmann J et al. Happy heart syndrome: role of positive emotional stress in Takotsubo syndrome. *Eur Heart J* 37, 2823–2829, 2016
- [129] Desmet WJ, Adriaenssens BF, Dens JA. Apical ballooning of the left ventricle: first series in white patients. *Heart* 89:1027–1031, 2003
- [130] Wittstein IS, Thiemann DR, Lima JA et al. Neurohumoral features of myocardial stunning due to sudden emotional stress. *N Engl J Med* 352:539–548, 2005
- [131] Prasad A, Dangas G, Srinivasan M et al. Incidence and angiographic characteristics of patients with apical ballooning syndrome (takotsubo/stress cardiomyopathy) in the HORIZONS-AMI trial: an analysis from a multicenter, international study of ST-elevation myocardial infarction. *Catheter Cardiovasc Interv* 83:343–348, 2014
- [132] Bybee KA, Prasad A, Barsness GW et al. Clinical characteristics and thrombolysis in myocardial infarction frame counts in women with transient left ventricular apical ballooning syndrome. *Am J Cardiol* 94:343–346, 2004
- [133] Redfors B, Vedad R, Angerås O et al. Mortality in takotsubo syndrome is similar to mortality in myocardial infarction – A report from the SWEDEHEART registry. *Int J Cardiol* 185:282–289, 2015
- [134] Nascimento FO, Larrauri-Reyes MC, Santana O et al. Comparison of stress cardiomyopathy in hispanic and non-hispanic patients. *Rev Esp Cardiol (Engl Ed)* 66:67–68, 2013
- [135] Schlossbauer SA, Ghadri JR, Templin C. Takotsubo-Syndrom – ein häufig verkannntes Krankheitsbild. *Praxis (Bern 1994)* 105(20):1185–1192, 2016
- [136] Amariles P, Cifuentes L. Drugs as possible triggers of Takotsubo cardiomyopathy: a comprehensive literature search-update 2015. *Curr Clin Pharmacol* 11:95–109, 2016
- [137] Ederhy S, Cautela J, Ancedy Y et al. Takotsubo-like syndrome in cancer patients treated with immune check-point inhibitors. *JACC Cardiovasc Imaging* 11:1187–1190, 2018
- [138] Berton E, Vitali-Serdoz L, Vallon P et al. Young girl with apical ballooning heart syndrome. *Int J Cardiol* 161:e4–6, 2012
- [139] Topal Y, Topal H, Doğan C et al. Takotsubo (stress) cardiomyopathy in childhood. *Eur J Pediatr* 179(4):619–625, 2020
- [140] Kumar G, Holmes DR Jr, Prasad A. “Familial” apical ballooning syndrome (Takotsubo cardiomyopathy). *Int J Cardiol* 144:444–445, 2010
- [141] El-Battrawy I, Santoro F, Stiermaier T et al. Incidence and clinical impact of recurrent Takotsubo syndrome: results from the GEIST registry. *J Am Heart Assoc* 8(9):e010753, 2019
- [142] Ghadri J-R, Wittstein IS, Prasad A et al. International Expert Consensus Document on Takotsubo syndrome (Part II): Diagnostic Workup, Outcome, and Management. *Eur Heart J* 39:2047–2062, 2018
- [143] Akashi YJ, Nef HM, Lyon AR. Epidemiology and pathophysiology of Takotsubo syndrome. *Nat Rev Cardiol* 12:387–397, 2015
- [144] Mansencal N, Auvert B, N’Guetta R et al. Prospective assessment of incidence of Tako-Tsubo cardiomyopathy in a very large urban agglomeration. *Int J Cardiol* 168:2791–2795, 2013
- [145] Pelliccia F, Kaski JC, Crea F et al. Pathophysiology of Takotsubo syndrome. *Circulation* 135:2426–2441, 2017
- [146] Heusch G. Alpha-adrenergic mechanisms in myocardial ischemia. *Circulation* 81:1–13, 1990
- [147] Ancona F, Bertoldi LF, Ruggieri F et al. Takotsubo cardiomyopathy and neurogenic stunned myocardium: similar albeit different. *Eur Heart J* 37:2830–2832, 2016
- [148] Sattler S, Couch LS, Harding SE. Takotsubo syndrome. Latest addition to the expanding family of immune-mediated diseases? *JACC: Basic Transl Sci* 3:779–781, 2018
- [149] Heubach JF, Ravens U, Kaumann AJ. Epinephrine activates both Gs and Gi pathways, but norepinephrine activates only the Gs pathway through human beta2-adrenoceptors overexpressed in mouse heart. *Mol Pharmacol* 65:1313–1322, 2004

- [150] Paur H, Wright PT, Sikkell MB et al. High levels of circulating epinephrine trigger apical cardiodepression. *Circulation* 126:697–706, 2012
- [150a] Mihailescu T, Kikuni G, Awada A et al. Latent left ventricular outflow tract obstruction in Takotsubo cardiomyopathy. *Eur Heart J Cardiovasc Imaging* 20(3):368, 2018
- [150b] Fefer P, Chelvanathan A, Dick AJ et al. Takotsubo cardiomyopathy and left ventricular outflow tract obstruction. *J Interv Cardiol* 22(5):444–452, 2009
- [151] Ueyama T, Ishikura F, Matsuda A et al. Chronic estrogen supplementation following ovariectomy improves the emotional stress-induced cardiovascular responses by indirect action on the nervous system and by direct action on the heart. *Circ J* 71:565–573, 2007
- [151a] Gupta S, Goyal P, Idrees S et al. Association of endocrine conditions with Takotsubo cardiomyopathy: a comprehensive review. *J Am Heart Assoc* 7:e009003, 2018
- [152] Nef HM, Möllmann H, Kostin S et al. Tako-Tsubo cardiomyopathy: intraindividual structural analysis in the acute phase and after functional recovery. *Eur Heart J* 28:2456–2464, 2007
- [153] Herraes P, Espinosa de los Monteros A, Fernandez A et al. Capture myopathy in live-stranded cetaceans. *Veter J* 196:181–188, 2013
- [154] Eitel I, von Knobelsdorff-Brenkenhoff F, Bernhardt P et al. Clinical characteristics and cardiovascular magnetic resonance findings in stress (takotsubo) cardiomyopathy. *JAMA* 306:277–286, 2011
- [155] Ferreira VM, Marcelino M, Piechnik SK et al. Pheochromocytoma is characterized by catecholamine-mediated myocarditis, focal and diffuse myocardial fibrosis, and myocardial dysfunction. *J Am Coll Cardiol* 67:2364–2374, 2016
- [156] Scally C, Abbas H, Ahearn T et al. Myocardial and systemic inflammation in acute stress-induced (Takotsubo) cardiomyopathy. *Circulation* 139:1581–1592, 2019
- [157] Stirrat CG, Alam SR, MacGillivray TJ et al. Ferumoxytol-enhanced magnetic resonance imaging in acute myocarditis. *Heart* 104:300–305, 2018
- [158] Lüscher TF, Templin C. Is takotsubo syndrome a microvascular acute coronary syndrome? Towards a new definition. *Eur Heart J* 37:2816–2820, 2016
- [159] Thygesen K, Alpert JS, Jaffe AS et al., ESC Scientific Document Group. Fourth universal definition of myocardial infarction. *Eur Heart J* 40:237–269, 2019
- [160] Koeth O, Zeymer U, Schiele R et al. Inferior ST-elevation myocardial infarction associated with Takotsubo cardiomyopathy. *Case Rep Med* 2010:467867, 2010
- [161] Rechavia E, de Silva R, Nihoyannopoulos P et al. Hyperdynamic performance of remote myocardium in acute infarction. Correlation between regional contractile function and myocardial perfusion. *Eur Heart J* 16:1845–1850, 1995
- [162] Tavazzi G, Zanierato M, Via G et al. Are neurogenic stress cardiomyopathy and Takotsubo different syndromes with common pathways? Etiopathological insights on dysfunctional hearts. *JACC Heart Failure* 5:940–942, 2017
- [163] Guglin M, Novotorova I. Neurogenic stunned myocardium and Takotsubo cardiomyopathy are the same syndrome: a pooled analysis. *Congest Heart Fail* 17:127–132, 2011
- [164] Madias JE. „Neurogenic stress cardiomyopathy in heart donors“ is a form of Takotsubo syndrome. *Int J Cardiol* 184:612–613, 2015
- [165] Ravi Y, Campagna R, Rosas PC et al. Successful heart transplantation using a donor heart afflicted by takotsubo cardiomyopathy. *Proc (Bayl Univ Med Cent)* 29:73–74, 2016
- [166] Moussouttas M, Mearns E, Walters A et al. Plasma catecholamine profile of subarachnoid hemorrhage patients with neurogenic cardiomyopathy. *Cerebrovasc Dis Extra* 5:57–67, 2015
- [167] Cammann VC, Sarcon A, Ding KJ et al. Clinical features and outcomes of patients with malignancy and Takotsubo syndrome: observations from the International Takotsubo Registry. *J Am Heart Assoc* 6;8(15):e010881, 2019
- [168] Isogai T, Yasunaga H, Matsui H et al. Out-of-hospital versus in-hospital Takotsubo cardiomyopathy: analysis of 3719 patients in the Diagnosis Procedure Combination database in Japan. *Int J Cardiol* 176:413–417, 2014
- [169] Ludhwani D, Rahaby M, Patel V et al. Implications of left bundle branch block

- in Takotsubo cardiomyopathy: propensity match analysis from the National Inpatient Sample. *Cardiol Ther* 8:253–265, 2019
- [170] Haghi D, Athanasiadis A, Papavassiliu T et al. Right ventricular involvement in Takotsubo cardiomyopathy. *Eur Heart J* 27:2433–2439, 2006
- [171] Citro R, Bossone E, Parodi G et al. Clinical profile and in-hospital outcome of Caucasian patients with takotsubo syndrome and right ventricular involvement. *Int J Cardiol* 219:455–461, 2016
- [172] Ding KJ, Cammann VL, Szawan KA et al. Intraventricular thrombus formation and embolism in Takotsubo syndrome. Insights from the International Takotsubo Registry. *Arterioscler Thromb Vasc Biol* 40(1):279–287, 2020
- [173] Prasad A, Lerman A, Rihal CS. Apical ballooning syndrome (tako-tsubo or stress cardiomyopathy): a mimic of acute myocardial infarction. *Am Heart J* 2008; 155: 408–417, 2008
- [174] Stiermaier T, Santoro F, Graf T et al. Prognostic value of NTpro-BNP in Takotsubo syndrome. *Clin Res Cardiol* 107:597–606, 2018
- [175] Templin C, Ghadri JR, Diekmann J et al. Clinical features and outcomes of takotsubo (stress) cardiomyopathy. *N Engl J Med* 373:929–938, 2015
- [176] Ponikowski P, Voors AA, Anker S et al. 2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure: The Task Force for the diagnosis and treatment of acute and chronic heart failure of the European Society of Cardiology (ESC). Developed with the special contribution of the Heart Failure Association (HFA) of the ESC. *Eur Heart J* 37:2129–2200, 2016
- [177] Izumi Y, Okatani H, Shiota M et al. Effects of metoprolol on epinephrine-induced Takotsubo-like left ventricular dysfunction in non-human primates. *Hypertens Res* 32:339–346, 2009
- [178] D’Ascenzo F, Gili S, Bertaina M et al. Impact of aspirin on takotsubo syndrome: a propensity score-based analysis of the InterTAK Registry. *Eur J Heart Fail* 22(2):330–337, 2020
- [179] Santoro F, Ieva R, Ferraretti A et al. Safety and feasibility of levosimendan administration in Takotsubo cardiomyopathy: a case series. *Cardiovasc Ther* 31:e133–137, 2013
- [180] Madias JE. If-channel blocker ivabradine vs. beta-blockers for sinus tachycardia in patients with Takotsubo syndrome. *Int J Cardiol* 223:877–878, 2016
- [181] Elesber A, Lerman A, Bybee KA et al. Myocardial perfusion in apical ballooning syndrome correlate of myocardial injury. *Am Heart J* 152:469, 2006
- [182] Tornvall P, Collste O, Ehrenborg E et al. A case-control study of risk markers and mortality in Takotsubo stress cardiomyopathy. *JACC* 67:1931–1936, 2016
- [183] Gili S, Cammann VL, Schlossbauer SA et al. Cardiac arrest in Takotsubo syndrome: results from the InterTAK registry. *Eur Heart J* 40:2142–2151, 2019
- [184] Jurisic S, Gili S, Cammann VL et al. Clinical predictors and prognostic impact of recovery of wall motion abnormalities in Takotsubo Syndrome: results from the International Takotsubo Registry. *J Am Heart Assoc* 8:e011194, 2019
- [185] Ghadri JR, Cammann VL, Jurisic S et al. A novel clinical score (InterTAK Diagnostic Score) to differentiate takotsubo syndrome from acute coronary syndrome: results from the International Takotsubo Registry. *Eur J Heart Fail* 19:1036–1042, 2017
- [186] Böhm M, Cammann VL, Ghadri JR et al. Interaction of systolic blood pressure and resting heart rate with clinical outcomes in takotsubo syndrome: insights from the International Takotsubo Registry. *Eur J Heart Fail* 20:1021–1030, 2018
- [187] Stiermaier T, Santoro F, El-Battrawy I et al. Prevalence and prognostic impact of diabetes in Takotsubo syndrome: insights from the international, multicenter GEIST registry. *Diabetes Care* 41:1084–1088, 2018
- [188] Wischnowsky MB, Candreva A, Bacchi B et al. Prediction of short- and long-term mortality in takotsubo syndrome: the InterTAK Prognostic Score. *Eur J Heart Failure* 21(11):1469–1472, 2019
- [189] Citro R, Radano I, Parodi G et al. Long-term outcome in patients with Takotsubo syndrome presenting with severely reduced left ventricular ejection fraction. *Eur J Heart Fail* 21:781–789, 2019
- [190] Scally C, Rudd A, Mezincescu A et al. Persistent long-term structural, functional,

- and metabolic changes after stress-induced (Takotsubo) cardiomyopathy. *Circulation* 137:1039–1048, 2018
- [191] Brugada P, Brugada J. Right bundle branch block, persistent ST segment elevation and sudden cardiac death: a distinct clinical and electrocardiographic syndrome. A multicenter report. *JACC* 20:1391–1396, 2019
- [192] Roffi M, Patrono C, Collet JP et al. 2015 ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation: Task Force for the Management of Acute Coronary Syndromes in Patients Presenting without Persistent ST-Segment Elevation of the European Society of Cardiology (ESC). *Eur Heart J* 37:267–315, 2016
- [193] Byrne RA, Rossello X, Coughlan JJ et al. ESC Scientific Document Group. 2023 ESC Guidelines for the management of acute coronary syndromes. *Eur Heart J* 44:3720–3826, 2023
- [194] Campeau L. Entry sites for coronary angiography and therapeutic interventions: from the proximal to the distal radial artery. *Canad J Cardiol* 17:319–25, 2001
- [195] Otaki M. Percutaneous transradial approach for coronary angiography. *Cardiology* 81:330–3, 1992
- [196] Kiemeneij F, Laarman GJ. Percutaneous transradial artery approach for coronary stent implantation. *Catheter Cardiovasc Diag* 30:173–8, 1993
- [197] Kiemeneij F, Laarman GJ, Odekerken D et al. A randomized comparison of percutaneous transluminal coronary angioplasty by the radial, brachial and femoral approaches: the access study. *J Amer Coll Cardiol* 29:1269–75, 1997
- [198] Hess CN, Peterson ED, Neely ML et al. The learning curve for transradial percutaneous coronary intervention among operators in the United States: a study from the National Cardiovascular Data Registry. *Circulation* 129:2277–86, 2014
- [199] Barbash IM, Minha S, Gallino R et al. Operator learning curve for transradial percutaneous coronary interventions: implications for the initiation of a transradial access program in contemporary US practice. *Cardiovasc Revasc Med* 15:195–9, 2014
- [200] Hamon M, Pristipino C, Di Mario C et al. Consensus document on the radial approach in percutaneous cardiovascular interventions: position paper by the European Association of Percutaneous Cardiovascular Interventions and Working Groups on Acute Cardiac Care and Thrombosis of the European Society of Cardiology. *EuroIntervention* 8:1242–51, 2013
- [201] Langer C, Riehle J, Wuttig H et al. Efficacy of a one-catheter concept for transradial coronary angiography. *PLoS One* 13:e0189899, 2018
- [202] Kedev S, Zafirovska B, Dharma S et al. Safety and feasibility of transulnar catheterization when ipsilateral radial access is not available. *Catheter Cardiovasc Interv* 83:e51–60, 2014
- [203] Pancholy SB, Bernat I, Bertrand OF et al. Prevention of radial artery occlusion after transradial catheterization: The PROPHET-II Randomized Trial. *JACC Cardiovasc Intervent* 9:1992–9, 2016
- [204] Stella PR, Kiemeneij F, Laarman GJ et al. Incidence and outcome of radial artery occlusion following transradial artery coronary angioplasty. *Catheter Cardiovasc Diag* 40:156–8, 1997
- [204a] Babunashvili A und Dundua N. Recanalization and reuse of early occluded radial artery within 6 days after previous transradial diagnostic procedure. *Catheter Cardiovasc Interv* 77:530–6, 2011
- [204b] Kiemeneij F. Left distal transradial access in the anatomical snuffbox for coronary angiography (IdTRA) and interventions (IdTRI). *Eurointervention* 13:851–7, 2017
- [204c] Soydan E, Akin M. Coronary angiography using the left distal radial approach – An alternative site to conventional radial coronary angiography. *Anatol J Cardiol* 19:243–8, 2018
- [204d] Schenke A, Prog DR, Matthiesen T, Rafflenbeul E, Grönefeld G, Viertel A. Ein neuer Weg zum Herz durch die distale Arteria radialis. Erste Erfahrungen mit dem Zugang durch die distale Arteria radialis in der Tabatière für Herzkatheteruntersuchungen und -interventionen. Daten aus der DRAGON (Distal Radial Access for coronary anGiOgraphy and iNtervention)-Register. *Kardiologie* 14:217–25, 2020

- [205] Saito S, Tanaka S, Hiroe Y et al. Usefulness of hydrophilic coating on arterial sheath introducer in transradial coronary intervention. *Cath Cardio Inter* 56:328–32, 2002
- [206] Kiemeneij F, Fraser D, Slagboom T et al. Hydrophilic coating aids radial sheath withdrawal and reduces patient discomfort following transradial coronary intervention: a randomized double-blind comparison of coated and uncoated sheaths. *Cathet Cardiovasc Intervent* 59:161–4, 2003
- [207] Varenne O, Jegou A, Cohen R et al. Prevention of arterial spasm during percutaneous coronary interventions through radial artery: the SPASM study. *Cathet Cardiovasc Intervent* 68(2):231–5, 2006
- [208] Chen CW, Lin CL, Lin TK et al. A simple and effective regimen for prevention of radial artery spasm during coronary catheterization. *Cardiology* 105:4 3–7, 2006
- [209] Deftereos S, Giannopoulos G, Raisakis K et al. Moderate procedural sedation and opioid analgesia during transradial coronary interventions to prevent spasm: a prospective randomized study. *JACC Cardiovasc Interv* 6:267–73, 2013
- [210] Pancholy SB, Coppola J, Patel T. Subcutaneous administration of nitroglycerin to facilitate radial artery cannulation. *Catheter Cardiovasc Interv* 68:389–91, 2006
- [211] Ouadhour A, Sideris G, Smida W et al. Usefulness of subcutaneous nitrate for radial access. *Catheter Cardiovasc Interv* 72:343–6, 2008
- [212] Lo TS, Nolan J, Fountzopoulos E et al. Radial artery anomaly and its influence on transradial coronary procedural outcome. *Heart* 95:410–5, 2009
- [213] Valsecchi O, Vassileva A, Musumeci G et al. Failure of transradial approach during coronary interventions: anatomic considerations. *Cathet Cardiovasc Intervent* 67:870–8, 2006
- [214] Chen O, Goel S, Acholonu M et al. Comparison of standard catheters versus radial artery-specific catheter in patients who underwent coronary angiography through transradial access. *Amer J Cardiol* 118:357–61, 2016
- [215] Jolly SS, Amlani S, Hamon M et al. Radial versus femoral access for coronary angiography or intervention and the impact on major bleeding and ischemic events: a systematic review and meta-analysis of randomized trials. *A Heart J* 157:132–40, 2009
- [216] Plourde G, Pancholy SB, Nolan J et al. Radiation exposure in relation to the arterial access site used for diagnostic coronary angiography and percutaneous coronary intervention: a systematic review and meta-analysis. *Lancet* 386:2192–203, 2015
- [217] Becher T, Behnes M, Unsal M et al. Radiation exposure and contrast agent use related to radial versus femoral arterial access during percutaneous coronary intervention (PCI)-Results of the FERARI study. *Cardiovasc Revasc Med* 17:505–9, 2016
- [218] Xanthopoulou I, Stavrou K, Davlourous P et al. Randomised comparison of JUDKins vs. tiGER catheter in coronary angiography via the right radial artery: the JUDGE study. *EuroIntervention* 13:1950–8, 2018
- [219] Frizzell JD, Alkouz M, Sheldon MW. Left ventricular perforation during ventriculogram using an optitorque tiger catheter. *JACC Cardiovasc Interv* 7:1456–7, 2014
- [220] Bernat I, Aminian A, Pancholy S et al. Best practices for the prevention of radial artery occlusion after transradial diagnostic angiography and intervention: an international consensus paper. *JACC Cardiovasc Interv* 12:2235–46, 2019
- [221] Rashid M, Kwok CS, Pancholy S et al. Radial artery occlusion after transradial interventions: a systematic review and meta-analysis. *J Am Heart Assoc* 5(1): e002686, 2016
- [222] Hahalis GN, Aznaouridis K, Tsigkas G et al. Radial artery and ulnar artery occlusions following coronary procedures and the impact of anticoagulation: ARTEMIS (radial and ulnar ARTEry occlusion Meta-analysis) systematic review and meta-analysis. *J Am Heart Assoc* 6(8):e005430, 2017
- [223] Mamas MA, Fraser DG, Ratib K et al. Minimising radial injury: prevention is better than cure. *EuroIntervention* 10: 824–32, 2014
- [224] Yonetsu T, Kakuta T, Lee T et al. Assessment of acute injuries and chronic intimal thickening of the radial artery after transradial coronary intervention by optical coherence tomography. *Eur Heart J* 31:1608–15, 2010
- [225] Abdelaal E, Molin P, Plourde G et al. Successive transradial access for coronary pro-

- cedures: experience of Quebec Heart-Lung Institute.. *Am Heart J* 165:325–31, 2013
- [225] Horie K, Tada N, Isawa T et al. A randomised comparison of incidence of radial artery occlusion and symptomatic radial artery spasm associated with elective transradial coronary intervention using 6.5 Fr SheathLess Eaucath Guiding Catheter vs. 6.0 Fr Glidesheath Slender. *EuroIntervention* 13:2018–25, 2018
- [226] Hahalis GN, Leopoulou M, Tsigkas G et al. Multicenter randomized valuation of high versus standard heparin dose on incident radial arterial occlusion after transradial coronary angiography: The SPIRIT OF ARTEMIS Study. *JACC Cardiovasc Interv* 11:2241–50, 2018
- [227] Pancholy S, Coppola J, Patel T et al. Prevention of radial artery occlusion-patent hemostasis evaluation trial (PROPHET study): a randomized comparison of traditional versus patency documented hemostasis after transradial catheterization. *Catheter Cardiovasc Interv* 72:335–40, 2008
- [228] Cubero JM, Lombardo J, Pedrosa C et al. Radial compression guided by mean artery pressure versus standard compression with a pneumatic device (RACOMAP). *Catheter Cardiovasc Interv* 73:467–72, 2009
- [229] Barbeau GR, Arsenault F, Dugas L et al. Evaluation of the ulnopalmar arterial arches with pulse oximetry and plethysmography: comparison with the Allen's test in 1010 patients. *Am Heart J* 147:489–93, 2004
- [230] Kotowycz MA, Dzavík V. Radial artery patency after transradial catheterization. *Circ Cardiovasc Interv* 5:127–33, 2012
- [231] Valgimigli M, Gagnor A, Calabro P et al. Radial versus femoral access in patients with acute coronary syndromes undergoing invasive management: a randomised multicentre trial. *Lancet* 385:2465–76, 2015
- [232] Ando G, Capodanno D. Radial access reduces mortality in patients with acute coronary syndromes: results from an updated trial sequential analysis of randomized trials. *JACC Cardiovasc Interv* 9:660–70, 2016
- [233] Fastner C, Behnes M, Unsal M et al. Clinical outcomes of femoral closure compared to radial compression devices following percutaneous coronary intervention: the FERARI study. *Heart Vessels* 32:520–30, 2017
- [234] Kolkailah AA, Alreshq RS, Muhammed AM et al. Transradial versus transfemoral approach for diagnostic coronary angiography and percutaneous coronary intervention in people with coronary artery disease. *Cochrane Database Syst Rev* 4:CD012318, 2018
- [235] Sirker A, Kwok CS, Kotronias R et al. Influence of access site choice for cardiac catheterization on risk of adverse neurological events: A systematic review and meta-analysis. *Am Heart J* 181:107–19, 2016
- [236] Dziewierz A, Siudak Z, Tokarek T et al. Determinants of stroke following percutaneous coronary intervention in acute myocardial infarction (from ORPKI Polish National Registry). *Int J Cardiol* 223:236–8, 2016
- [237] Dziewierz A, Siudak Z, Rakowski T et al. Transradial access and the risk of periprocedural stroke. *Am Heart J* 186:e5–6, 2017
- [238] Rashid M, Lawson C, Potts J et al. Incidence, determinants, and outcomes of left and right radial access use in patients undergoing percutaneous coronary intervention in the United Kingdom: a national perspective using the BCIS dataset. *JACC Cardiovasc Interv* 11:1021–33, 2018