

7 Rechtsherzkatheter

- [1] Olschewski H, Hoeper MM, Borst MM et al. Diagnostik und Therapie der chronischen pulmonalen Hypertonie. Clin Res Cardiol 96:301–330, 2007
- [2] Bayer O, Loogen F, Wolter HH. Die Herzkatheterisierung bei angeborenen und erworbenen Herzfehlern, 2. Aufl. Thieme, Stuttgart, S. 54–56, 1967
- [3] Galiè N, Humbert M, Vachiery JL et al., ESC Scientific Document Group. 2015 ESC/ERS Guidelines for the diagnosis and treatment of pulmonary hypertension: The Joint Task Force for the Diagnosis and Treatment of Pulmonary Hypertension of the European Society of Cardiology (ESC) and the European Respiratory Society (ERS): Endorsed by: Association for European Paediatric and Congenital Cardiology (AEPC), International Society for Heart and Lung Transplantation (ISHLT). Eur Heart J 37:67–119, 2016
- [4] Humbert M, Kovacs G, Hoeper MM et al. ESC/ERS Scientific Document Group. 2022 ESC/ERS Guidelines for the diagnosis and treatment of pulmonary hypertension. Eur Heart J 43:3618–3731, 2022. Erratum in: Eur Heart J 44:1312, 2023
- [4a] Rosenkranz S. 2022 ESC/ERS-Leitlinien zur Diagnostik und Therapie der pulmonalen Hypertonie: Ein fokussierter Überblick [2022 ESC/ERS guidelines on the diagnostics and treatment of pulmonary hypertension : A focussed review]. Herz 48:23–30, 2023
- [5] Miller GAH, Sutton GC, Kerr IH et al. Comparison of streptokinase and heparin in treatment of isolated acute massive pulmonary embolism. Br Med J 2:681–684, 1971
- [6] Deutsche Gesellschaft für Kardiotechnik e.V. Formelsammlung. <https://dgfkt.de/fortbildung/formelsammlung/> (25.10.2021)
- [7] Bartel T. Interventionelle Kardiologie, Angiologie und Kardiovaskularchirurgie. Schattauer, Stuttgart, S. 18, 2001
- [8] Reynolds A, Bartelt N, Taepke RT et al. Measurement of pulmonary artery diastolic pressure from the right ventricle. J Am Coll Cardiol 25:1176–1182, 1995
- [9] Ohlsson A, Bennett T, Nordlander R et al. Monitoring of pulmonary arterial diastolic pressure through a right ventricular pressure transducer. J Card Fail 1:161–168, 1995
- [10] Ohlsson A, Kubo SH, Steinhaus D et al. Continuous ambulatory monitoring of absolute right ventricular pressure and mixed venous oxygen saturation in patients with heart failure using an implantable haemodynamic monitor: results of a 1 year multicentre feasibility study. Eur Heart J 22:942–954, 2001
- [11] Steinhaus DM, Lemery R, Bresnahan DR Jr et al. Initial experience with an implantable hemodynamic monitor. Circulation 93:745–752, 1996
- [12] Magalski A, Adamson P, Gadler F et al. Continuous ambulatory right heart pressure measurements with an implantable hemodynamic monitor: a multicenter, 12-month follow-up study of patients with chronic heart failure. J Card Fail 8:63–70, 2002
- [13] Bourge RC, Abraham WT, Adamson PB et al. COMPASS-HF Study Group. Randomized controlled trial of an implantable continuous hemodynamic monitor in patients with advanced heart failure: the COMPASS-HF study. J Am Coll Cardiol 51:1073–1079, 2008
- [14] Ritzema J, Melton I C, Richards AM et al. Direct left atrial pressure monitoring in ambulatory heart failure patients: initial experience with a new permanent implantable device. Circulation 116:2952–2959, 2007

- [15] Troughton RW, Ritzema J, Eigler NL et al. Direct left atrial pressure monitoring in severe heart failure: long-term sensor performance. *J Cardiovasc Transl Res* 4:3–13, 2011
- [16] Mooney DM, Fung E, Doshi RN et al. Evolution from electrophysiologic to hemodynamic monitoring: the story of left atrial and pulmonary artery pressure monitors. *Front Physiol* 6:271–278, 2015
- [17] Maurer MS, Adamson PB, Costanzo MR et al. Rationale and design of the left atrial pressure monitoring to optimize heart failure therapy study (LAPTOP-HF). *J Card Fail* 21:479–488, 2015
- [18] Herrmann E, Fichtlscherer S, Hohnloser SH et al. Implantierbare Sensoren zur ambulanten Beurteilung des ventrikulären Füllungsdrucks bei fortgeschrittener Herzinsuffizienz. *Herzschr Elektrophys* 27:371–377, 2016
- [18a] Mullens W, Sharif F, Dupont M et al. Digital health care solution for proactive heart failure management with the Cordella Heart Failure System: results of the SIRONA first-in-human study. *Eur J Heart Fail* 22:1912–1919, 2020
- [18b] Angermann CE, Assmus B, Anker SD et al., MEMS-HF Investigators. Pulmonary artery pressure-guided therapy in ambulatory patients with symptomatic heart failure: the CardioMEMS European Monitoring Study for Heart Failure (MEMS-HF). *Eur J Heart Fail* 22: 1891–1901, 2020
- [18c] Shavelle DM, Desai AS, Abraham WT et al., CardioMEMS Post-Approval Study Investigators. Lower rates of heart failure and all-cause hospitalizations during pulmonary artery pressure-guided therapy for ambulatory heart failure: one-year outcomes from the CardioMEMS Post-Approval Study. *Circ Heart Fail* 13:e006863, 2020
- [19] Shavelle D, Jermyn R. The CardioMEMS Heart Failure Sensor: a procedural guide for implanting physicians. *J Invasive Cardiol* 28:273–279, 2016
- [20] Rali AS, Shah Z, Sauer AJ et al. Hemoptysis after CardioMEMS implantation: case report and review. *Am J Case Rep* 19:382–385, 2018
- [21] Vaduganathan M, DeFilippis EM, Fonarow GC et al. Postmarketing adverse events related to the CardioMEMS HF system. *JAMA Cardiol* 2:1277–1279, 2017
- [22] Adamson PB, Abraham WT, Aaron M et al. CHAMPION trial rationale and design: the long-term safety and clinical efficacy of a wireless pulmonary artery pressure monitoring system. *J Card Fail* 17:3–10, 2011
- [23] Abraham WT, Adamson P, Bourge RC et al. Wireless pulmonary artery haemodynamic monitoring in chronic heart failure: a randomised controlled trial. *Lancet* 377:658–666, 2011
- [24] Givertz MM, Stevenson LW, Costanzo MR et al., CHAMPION Trial Investigators. Pulmonary artery pressure-guided management of patients with heart failure and reduced ejection fraction. *J Am Coll Cardiol* 70:1875–1886, 2017
- [25] Costanzo MR, Stevenson LW, Adamson PB et al. Interventions linked to decreased heart failure hospitalizations during ambulatory pulmonary artery pressure monitoring. *JACC Heart Fail* 4:333–344, 2016
- [26] Desai AS, Bhimaraj A, Bharmi R et al. Ambulatory hemodynamic monitoring reduces heart failure hospitalizations in “real-world” clinical practice. *J Am Coll Cardiol* 69:2357–2365, 2017
- [27] Loh JP, Barbash IM, Waksman R. Overview of the 2011 Food and Drug Administration Circulatory System Devices Panel of the Medical Devices Advisory Committee Meeting on the CardioMEMS Champion Heart Failure Monitoring System. *J Am Coll Cardiol*. 61:1571–1576, 2013
- [28] Schmier JK, Ong KL, Fonaro GC. Cost-effectiveness of remote cardiac monitoring with the CardioMems heart failure system. *Clin Cardiol* 40:430–436, 2017
- [29] Lesyuk W, Kriza C, Kolominsky-Rabas P. Cost-of-illness studies in heart failure: a systematic review 2004–2016. *BMC Cardiovasc Disord* 18:74, 2018
- [29a] Lindenfeld J, Zile MR, Desai AS et al. Haemodynamic-guided management of heart failure (GUIDE-HF): a randomised controlled trial. *Lancet* 398: 991–1001, 2021
- [30] Gorlin R, Gorlin SG. Hydraulic formula for calculation of the area of the stenotic mitral valve, other cardiac valves, and central circulatory shunts. *Am Heart J* 1:1–29, 1951
- [31] Sellers RD, Levy MJ, Amplatz K et al. Left retrograde cardioangiography in acquired cardiac disease. technic, indications and

- interpretations in 700 cases. *Amer J Card* 14:437–447, 1964
- [32] Oh JK, Seward JB, Tajik AJ. The echo manual. 2nd ed. Lippincott, Philadelphia, pp 181–194, 1999
- [33] Hurell DG, Nishimura RA, Higano ST et al. Value of dynamic respiratory changes in left and right ventricular pressures for the diagnosis of constrictive pericarditis. *Circulation* 93:1007–1013, 1996
- [34] Maisch B, Seferović PM, Ristić AD et al. Task Force on the Diagnosis and Management of Pericardial Diseases of the European Society of Cardiology. Guidelines on the diagnosis and management of pericardial diseases executive summary. *Eur Heart J* 25:587–610, 2004
- [35] Ling LH, Oh JK, Breen JF et al. Calcific constrictive pericarditis: is it still with us? *Ann Intern Med* 132:444–450, 2000. Erratum in: *Ann Intern Med* 133:659, 2000
- [36] Vaitkus PT, Kussmaul WG. Constrictive pericarditis versus restrictive cardiomyopathy: a reappraisal and update of diagnostic criteria. *Am Heart J* 122:1431–1441, 1991
- [37] Myers RB, Spodick DH. Constrictive pericarditis: clinical and pathophysiologic characteristics. *Am Heart J* 38(2 Pt 1):219–232, 1999
- [38] Oh JK, Hatle LK, Seward JB et al. Diagnostic role of Doppler echocardiography in constrictive pericarditis. *J Am Coll Cardiol* 23:154–162, 1994
- [39] Elliott P, Andersson B, Arbustini E et al. Classification of the cardiomyopathies: a position statement from the European Society of Cardiology working group on myocardial and pericardial diseases. *Europ Heart J* 9:270–276, 2008
- [40] Hancock EW. Subacute effusive-constrictive pericarditis. *Circulation* 43:183–192, 1971
- [41] Steinberg I. Effusive-constrictive radiation pericarditis. Two cases illustrating value of angiocardiology in diagnosis. *Am J Cardiol* 19:434–439, 1967
- [42] Zurick AO, Klein AL. Effusive-constrictive pericarditis. *J Amer Coll Cardiol* 56:86, 2010
- [43] Low RI, Arthur A, Kelly PB et al. Clotted hemopericardium post myocardial infarction presenting as effusive constrictive pericarditis. *Am Heart J* 109:905–908, 1985