

## 25 Lungenembolie

- [1] <http://www.gbe-bund.de/svg/L247432.svg>
- [2] Konstantinides SV, Torbicki A, Agnelli G et al. 2014 ESC guidelines on the diagnosis and management of acute pulmonary embolism. *Eur Heart J* 35:3033–3069, 2014; corrigendum *Eur Heart J* 36:2666, 2015
- [3] Lankeit M, Hobohm L, Konstantinides S. Akute Lungenembolie – Update 2018. *Kardiologie up2date* 14:67–81, 2018
- [4] Wilkens H, Held M. Lungenembolie Status 2018. *Dtsch Arztebl (Suppl Perspektiven der Pneumologie und Allergologie 2)* 115:8–14, 2018
- [5] Cohen AT, Agnelli G, Anderson FA et al. Venous thromboembolism (VTE) in Europe. The number of VTE events and associated morbidity and mortality. *Thromb Haemost* 98:756–764, 2007
- [6] Konstantinides S, Geibel A, Heusel G et al. Heparin plus alteplase compared with heparin alone in patients with submassive pulmonary embolism. *N Engl J Med* 347:1143–1150, 2002
- [6a] Gesundheitsberichterstattung des Bundes – gemeinsam getragen von RKI und DESTATIS. [http://www.gbe-bund.de/oowa/921install/servlet/oowa/aw92/WS0100/\\_XWD\\_PROC?\\_XWD\\_2/2/xs\\_setlinie/1/\\_XWD\\_28#SVG](http://www.gbe-bund.de/oowa/921install/servlet/oowa/aw92/WS0100/_XWD_PROC?_XWD_2/2/xs_setlinie/1/_XWD_28#SVG)
- [7] Shojania KG, Burton EC. The vanishing nonforensic autopsy. *N Engl J Med* 358:873–875, 2008
- [8] Goldhaber S, Visani L, De Rosa M. Acute Pulmonary embolism: clinical outcomes in the International Cooperative Pulmonary Embolism Registry (ICOPER). *Lancet* 33:1386–1389, 1999
- [9] Pollack CV, Schreiber D, Goldhaber SZ et al. Clinical characteristics, management, and outcomes of patients diagnosed with acute pulmonary embolism in the emergency department: initial report of EMPEROR (Multicenter Emergency Medicine Pulmonary Embolism in the Real World Registry). *J Am Coll Cardiol* 57:700–706, 2011
- [10] Wells PS, Ginsberg JS, Anderson DR et al. Use of a clinical model for safe management of patients with suspected pulmonary embolism. *Ann Intern Med* 29:997–1005, 1998
- [11] Gibson NS, Sohne M, Kruip MJ et al. Further validation and simplification of the Wells clinical decision rule in pulmonary embolism. *Thromb Haemost* 99:229–234, 2008
- [12] Klok FA, Mos IC, Nijkeuter M et al. Simplification of the revised Geneva score for assessing clinical probability of pulmonary embolism. *Arch Intern Med* 168:2131–2136, 2008
- [13] Douma RA, Mos IC, Erkens PM et al. Performance of 4 clinical decision rules in the diagnostic management of acute pulmonary embolism: a prospective cohort study. *Ann Intern Med* 154:709–718, 2011
- [14] Douma RA, Gibson NS, Gerdes VE et al. Validity and clinical utility of the simplified Wells rule for assessing clinical probability for the exclusion of pulmonary embolism. *Thromb Haemost* 101:197, 2009
- [15] Ceriani E, Combescure C, Le Gal G et al. Clinical prediction rules for pulmonary embolism: a systematic review and meta-analysis. *J Thromb Haemost* 8:957–970, 2010
- [16] European Working Group on Echocardiography. The European Cooperative Study on the clinical significance of right heart thrombi. *Eur Heart J* 10:1046–1059, 1989
- [17] Torbicki A, Galié N, Covezzoli A et al. Right heart thrombi in pulmonary embolism: results from the International Cooperative Pulmonary Embolism Registry. *J Am Coll Cardiol* 41:2245–2251, 2003
- [18] Mollazadeh R, Ostovan MA, Abdi Ardekani AR. Right cardiac thrombus in transit among patients with pulmonary thromboemboli. *Clin Cardiol* 32:E27–E31, 2009

- [20] Wittlich N, Erbel R, Eichler A et al. Detection of central pulmonary artery thromboemboli by transesophageal echocardiography in patients with severe pulmonary embolism. *J Am Soc Echocardiogr* 5:515–524, 1992
- [21] Erbel R, Wittlich N, Schuster S et al. Assessment of pulmonary embolism. *Int J Card Imaging* 9(Suppl 2):39–49, 1993
- [22] Stein PD, Fowler SE, Goodman LR et al. Multidetector computed tomography for acute pulmonary embolism. *N Engl J Med* 354:2317–2327, 2006
- [23] Perrier A, Roy PM, Sanchez O et al. Multidetector-row computed tomography in suspected pulmonary embolism. *N Engl J Med* 352:1760–1768, 2005
- [24] van Belle A, Büller HR, Huisman MV et al. Effectiveness of managing suspected pulmonary embolism using an algorithm combining clinical probability, D-dimer testing, and computed tomography. *JAMA* 295:172–179, 2006
- [25] Anderson DR, Kahn SR, Rodger MA et al. Computed tomographic pulmonary angiography vs. ventilation-perfusion lung scanning in patients with suspected pulmonary embolism: a randomized controlled trial. *JAMA* 298:2743–2753, 2007
- [26] Righini M, Le Gal G, Aujesky D et al. Diagnosis of pulmonary embolism by multidetector CT alone or combined with venous ultrasonography of the leg: a randomised non-inferiority trial. *Lancet* 371:1343–1352, 2008
- [27] Stein PD, Goodman LR, Hull RD et al. Diagnosis and management of isolated subsegmental pulmonary embolism: review and assessment of the options. *Clin Appl Thromb Hemost* 18:20–26, 2012
- [28] Gutte H, Mortensen J, Jensen CV et al. Detection of pulmonary embolism with combined ventilation-perfusion SPECT and low-dose CT: head-to-head comparison with multidetector CT angiography. *J Nucl Med* 50:1987–1992, 2009
- [29] Reinartz P, Kaiser HJ, Wildberger JE et al. SPECT imaging in the diagnosis of pulmonary embolism: automated detection of match and mismatch defects by means of image-processing techniques. *J Nucl Med* 47:968–973, 2006
- [30] Walsh PN, Greenspan RH, Simon M et al. An angiographic severity index for pulmonary embolism. *Circulation* 47(Suppl II):101–108, 1973
- [31] Schmitz-Rode T, Janssens U, Hanrath P et al. Fragmentation of massive pulmonary embolism by pigtail rotation catheter: possible complication. *Eur Radiol* 11:2047–2049, 2000
- [32] Konstantinides SV, Erbel C, Lankeit MK, Tiefenbacher C für die Kommission für Klinische Kardiovaskuläre Medizin der DGK. ESC Pocket Guidelines. Management der akuten Lungenembolie. Börm Bruckmeier, Grünwald, 2019
- [33] Schouten HJ, Geersing GJ, Koek H et al. Diagnostic accuracy of conventional or age adjusted D-dimer cut-off values in older patients with suspected venous thromboembolism: systematic review and meta-analysis. *BMJ* 346:f2492, 2013
- [34] Righini M, Van Es J, Den Exter PL et al. Age-adjusted D-dimer cutoff levels to rule out pulmonary embolism: the A3JUST-PE study. *JAMA* 311:1117–1124, 2014
- [35] Lankeit M, Jiménez D, Kostrubiec M et al. Predictive value of the high-sensitivity troponin T assay and the simplified pulmonary embolism severity index in hemodynamically stable patients with acute pulmonary embolism: a prospective validation study. *Circulation* 124:2716–2724, 2011
- [36] Konstantinidis S, Bauersachs J, Mayer E et al. Management der akuten Lungenembolie. Übersetzte ESC Pocket Guidelines von 2014. Börm Bruckmeier, Grünwald, 2014
- [37] Konstantinidis SV, Meyer G, Becattini C et al. 2019 ESC Guidelines for the diagnosis and management of acute pulmonary embolism developed in collaboration with the European Respiratory Society (ERS). *Eur Heart J* 41:543–603, 2020
- [38] Aujesky D, Obrosky DS, Stone RA et al. Derivation and validation of a prognostic model for pulmonary embolism. *Am J Respir Crit Care Med* 172:1041–1046, 2005
- [39] Jimenez D, Aujesky D, Moores L et al. Simplification of the pulmonary embolism severity index for prognostication in patients with acute symptomatic pulmonary embolism. *Arch Intern Med* 170:1383–1389, 2010
- [40] Kuo WT, Sista AK, Faintuch S et al. Society of Interventional Radiology position statement on catheter-directed therapy for

- acute pulmonary embolism. *J Vasc Interv Radiol* 29:293–297, 2018
- [41] Nellessen U, Daniel WG, Matheis G et al. Impending paradoxical embolism from atrial thrombus: correct diagnosis by transesophageal echocardiography and prevention by surgery. *J Am Coll Cardiol* 5:1002–1004, 1985
- [42] Mathew TC, Ramsaran EK, Aragam JR. Impending paradoxical embolism in acute pulmonary embolism: diagnosis by transesophageal echocardiography and treatment by emergent surgery. *Am Heart J* 129:826–827, 1995
- [43] Myers PO, Bounameaux H, Panos A et al. Impending paradoxical embolism: systematic review of prognostic factors and treatment. *Chest* 137:164–170, 2010
- [44] Konstantinides S, Geibel A, Kasper W et al. Patent foramen ovale is an important predictor of adverse outcome in patients with major pulmonary embolism. *Circulation* 97:1946–1951, 1998
- [45] Kälisch H, Sack S, Erbel R et al. Acute massive pulmonary embolism detected with angiography and intravascular ultrasound treated by pulmonary embolectomy. The hybrid concept. *Herz* 31:366–367, 2006
- [46] Thielmann M, Pasa S, Wendt D et al. Prognostic significance of cardiac troponin I on admission for surgical treatment of acute pulmonary embolism: a single-centre experience over more than 10 years. *Eur J Cardiothorac Surg* 42:951–957, 2012
- [47] Kilic A, Shah AS, Conte JV et al. Nationwide outcomes of surgical embolectomy for acute pulmonary embolism. *J Thorac Cardiovasc Surg* 145:373–377, 2013
- [48] Neely RC, Byrne JG, Gosev I et al. Surgical embolectomy for acute massive and sub-massive pulmonary embolism in a series of 115 patients. *Ann Thorac Surg* 100:1245–1251; discussion 100:1251–1252, 2015
- [49] Keeling WB, Leshnower BG, Lasajanak Y et al. Midterm benefits of surgical pulmonary embolectomy for acute pulmonary embolus on right ventricular function. *J Thorac Cardiovasc Surg* 152:872–878, 2016
- [50] Aymard T, Kadner A, Widmer A et al. Massive pulmonary embolism: surgical embolectomy versus thrombolytic therapy: should surgical indications be revisited? *Eur J Cardiothorac Surg* 43:90–94, 2013
- [51] Konorza TFM, Kälisch H, Plicht B et al. Perkutane Dilatation der Pulmonalarterien und kombinierte selektive Thrombolyse-therapie mittels Urokinase und Heparin als neue Therapieoption bei chronisch embolischer Lungenembolie. *Clin Res Cardiol* 98(Suppl 1), 2009
- [52] Engelberger RP, Kucher N. Catheter-based reperfusion treatment of pulmonary embolism. *Circulation* 124:2139–2144, 2011
- [53] Jaber WA, Fong PP, Weisz G et al. Acute pulmonary embolism: with an emphasis on an interventional approach. *J Am Coll Cardiol* 67:991–1002, 2016
- [54] Zarghouni M, Charles HW, Maldonado TS et al. Catheter-directed interventions for pulmonary embolism. *Cardiovasc Diagn Ther* 6:651–661, 2016
- [54a] Yeager SB. Balloon selection for double balloon valvotomy. *J Am Coll Cardiol* 9:467–468, 1987
- [55] Kuo WT, Gould MK, Louie JD et al. Catheter directed therapy for the treatment of massive pulmonary embolism: systematic review and meta-analysis of modern techniques. *J Vasc Interv Radiol* 20:1431–1440, 2009
- [55a] Singh M, Shafi I, Rali P et al. Contemporary catheter-based treatment options for management of acute pulmonary embolism. *Curr Treat Options Cardiovasc Med* 23:44, 2021
- [56] Greenfield LJ, Proctor MC, Williams DM et al. Long-term experience with transvenous catheter pulmonary embolectomy. *J Vasc Surg* 18:450–458, 1993
- [57] Schmitz-Rode T, Janssens U, Schild HH et al. Fragmentation of massive pulmonary embolism using a pigtail rotation catheter. *Chest* 114:1427–1436, 1998
- [58] Goldhaber SZ. Integration of catheter thrombectomy into our armamentarium to treat acute pulmonary embolism. *Chest* 114:1237–1238, 1998
- [59] Schmitz-Rode T, Janssens U, Duda SH et al. Massive pulmonary embolism: percutaneous emergency treatment by pigtail rotation catheter. *J Am Coll Cardiol* 36:375–380, 2000
- [59a] <https://evtoday.com/device-guide/euro-pean/mechanical-thrombectomythrombolysis-1>, 20.03.2022

- [60] Schmitz-Rode T, Janssens U, Hanrath P et al. Fragmentation of massive pulmonary embolism by pigtail rotation catheter: possible complication. *Eur Radiol* 11:2047–2049, 2001
- [61] Freitas B, Steiner S, Bausback Y et al. Rotarex®S Mechanical debulking in acute and subacute arterial lesions: single-center experience with 525 patients. *Angiology* 18:233–241, 2016
- [62] Devic Z, Kuo WT. Percutaneous pulmonary embolism thrombectomy and thrombolysis: technical tips and tricks. *Semin Intervent Radiol* 35:129–135, 2018
- [63] Lichtenberg M, Stahlhoff WF, Özkapi A et al. Safety, procedural success and outcome of the Aspirex®S endovascular thrombectomy system in the treatment of iliofemoral deep vein thrombosis: data from the Arnsberg Aspirex registry. *Vasa* 48:341–346, 2019
- [64] Tukaye DN, McDaniel M, Liberman H et al. Percutaneous pulmonary embolus mechanical thrombectomy. *JACC Cardiovasc Interv* 10:94–95, 2017
- [65] Tu T, Toma C, Tapson VF et al. A Prospective, single-arm, multicenter trial of catheter-directed mechanical thrombectomy for intermediate-risk acute pulmonary embolism: The FLARE Study. *JACC Cardiovasc Interv* 12:859–869, 2019
- [65a] Toma C, Bunte MC, Cho KH et al. Percutaneous mechanical thrombectomy in a real-world pulmonary embolism population: interim results of the FLASH registry. *Catheter Cardiovasc Interv* 99:1345–1355, 2022
- [66] Das S, Das N, Serota H et al. A retrospective review of patients with massive and submassive pulmonary embolism treated with AngioJet rheolytic thrombectomy with decreased complications due to changes in thrombolytic use and procedural modifications. *Vascular* 26:163–168, 2018
- [67] Shen Y, Wang X, Jin SS et al. Increased risk of acute kidney injury with percutaneous mechanical thrombectomy using AngioJet compared with catheter-directed thrombolysis. *J Vasc Surg Venous Lymphat Disord* 7:29–37, 2019
- [68] Engelberger RP, Kucher N. Catheter-based reperfusion treatment of pulmonary embolism. *Circulation* 124:2139–2144, 2011
- [69] Engelberger RP, Kucher N. Ultrasound-assisted thrombolysis for acute pulmonary embolism: a systematic review. *Eur Heart J* 35:758–764, 2014
- [70] Kucher N, Boekstegers P, Muller OJ et al. Randomized, controlled trial of ultrasound-assisted catheter-directed thrombolysis for acute intermediate-risk pulmonary embolism. *Circulation* 129:479–486, 2014
- [71] Rao G, Xu H, Wang JJ et al. Ultrasound-assisted versus conventional catheter-directed thrombolysis for acute pulmonary embolism: a multicenter comparison of patient-centered outcomes. *Vasc Med* 24:241–247, 2019
- [72] Craig SH, Nelson SM. Ekosonic Endovascular System (EKOS) in a trauma patient with intracranial bleed, recent major surgery, and massive pulmonary embolus: a case report. *Radiol Case Rep* 13:156–160, 2018
- [72a] Klok FA, Piazza G, Sharp ASP et al. Ultrasound-facilitated, catheter-directed thrombolysis vs anticoagulation alone for acute intermediate-high-risk pulmonary embolism: rationale and design of the HI-PEITHO study. *Am Heart J* 251:43–53, 2022
- [73] Engelberger RP, Spirk D, Willenberg T et al. Ultrasound-assisted versus conventional catheter-directed thrombolysis for acute iliofemoral deep vein thrombosis. *Circ Cardiovasc Interv* 8:e002027, 2015
- [74] Stuck AK, Engelberger RP, Saengprakai W et al. Pharmacomechanical or ultrasound-assisted thrombolysis, balloon angioplasty and provisional surgical decompression for upper extremity deep vein thrombosis due to thoracic outlet syndrome. *Thromb Res* 145:109–111, 2016
- [74a] Bashir R, Foster M, Iskander A et al. Pharmacomechanical catheter-directed thrombolysis with the bashir endovascular catheter for acute pulmonary embolism: the RESCUE Study. *JACC Cardiovasc Interv* 15:2427–2436, 2022
- [74b] Hobohm L, Schmidt FP, Gori T et al. In-hospital outcomes of catheter-directed thrombolysis in patients with pulmonary embolism. *Eur Heart J Acute Cardiovasc Care* 10:258–264, 2021
- [75] Schmitz-Rode T, Verma R, Pfeffer JG et al. Temporary pulmonary stent placement as emergency treatment of pulmonary embolism: first experimental evaluation. *J Am Coll Cardiol* 48:812–816, 2006

- [76] Winters BD, Weaver SJ, Pfoh ER et al. Rapid-response systems as a patient safety strategy: a systematic review. *Ann Intern Med* 158:417–425, 2013
- [77] Provias T, Dudzinski DM, Jaff MR et al. The Massachusetts General Hospital Pulmonary Embolism Response Team (MGH PERT): creation of a multidisciplinary program to improve care of patients with massive and submassive pulmonary embolism. *Hosp Pract (1995)* 42:31–37, 2014
- [78] Reza N, Dudzinski DM. Pulmonary embolism response teams. *Curr Treat Options Cardiovasc Med* 17:387, 2013
- [79] Dudzinski DM, Horowitz JM. Start-up, organization and performance of a multidisciplinary pulmonary embolism response team for the diagnosis and treatment of acute pulmonary embolism. *Rev Esp Cardiol (Engl Ed)* 70:9–13, 2017
- [80] Kabrhel C. Achieving multidisciplinary collaboration for the creation of a pulmonary embolism response team: creating a “team of rivals”. *Semin Intervent Radiol* 34:16–24, 2017
- [81] Kuo WT, Banerjee A, Kim PS et al. Pulmonary Embolism Response to Fragmentation, Embolectomy, and Catheter Thrombolysis (PERFECT): initial results from a prospective multicenter registry. *Chest* 148:667–673, 2015
- [82] Xenos ES, Davis GA, He Q et al. The implementation of a pulmonary embolism response team in the management of intermediate- or high-risk pulmonary embolism. *J Vasc Surg Venous Lymphat Disord* 7:493–500, 2019
- [83] Rosovsky R, Chang Y, Rosenfield K et al. Changes in treatment and outcomes after creation of a pulmonary embolism response team (PERT), a 10-year analysis. *J Thromb Thrombolysis* 47:31–40, 2014